



Legal Studies Research Paper Series Paper No. 1461

**Feigned Consensus: Usurping the Law
in Shaken Baby Syndrome /Abusive
Head Trauma Prosecutions**

Keith A. Findley

D. Michael Risinger

Patrick D. Barnes

Julie A. Mack

David A. Moran

Barry C. Scheck

Thomas L. Bohan

This paper can be downloaded without charge from the
Social Science Research Network Electronic Paper Collection at:

<https://ssrn.com/abstract=3328996>

**FEIGNED CONSENSUS:
USURPING THE LAW IN SHAKEN BABY SYNDROME/
ABUSIVE HEAD TRAUMA PROSECUTIONS**

Keith A. Findley,* D. Michael Risinger,** Patrick D. Barnes,*** Julie A.
Mack,**** David A. Moran,**** Barry C. Scheck,*****
and Thomas L. Bohan*****

Abstract

Few medico-legal matters have generated as much controversy—both in the medical literature and in the courtroom—as Shaken Baby Syndrome (SBS), now known more broadly as Abusive Head Trauma (AHT). The controversies are of enormous significance in the law because child abuse pediatricians claim to be able, on the basis of a few non-specific medical findings supported by a weak and methodologically flawed research base, to be able to “diagnose” child abuse, and thereby to provide all of the evidence necessary to satisfy all of the legal elements for criminal prosecution (or removal of children from their parents). It is a field, therefore, in which medical opinion claims to fully occupy the legal field. As controversies flare up increasingly in the legal arena, child abuse pediatricians and prosecutors now respond by claiming both that there is actually no real controversy about SBS/AHT, and that it is a purely medical “diagnosis” and not a legal conclusion, so testimony in support of the SBS hypothesis should not be challenged in court. This article, coauthored by four law professors,

* Associate Professor of Law, University of Wisconsin Law School; Co-Founder and President, Center on Integrity in Forensic Science; Co-Founder, Wisconsin Innocence Project.

** John J. Gibbons Professor of Law Emeritus; Associate Director, Last Resort Exoneration Project; Seton Hall University School of Law.

*** M.D., Professor of Radiology, Emeritus; Pediatric Radiology & Neuroradiology, Lucile Packard Children's Hospital at Stanford, Stanford University Medical Center.

**** M.D., Assistant Professor of Radiology, Pennsylvania State University Medical Center.

***** Clinical Professor of Law, University of Michigan Law School; Co-Founder and Director, Michigan Innocence Clinic.

***** Professor of Law, Cardozo Law School; Co-Founder & Co-Director, Innocence Project.

***** Ph.D. (physics), Past President, American Academy of Forensic Sciences (2009-2010); Past President, Forensic Specialties Accreditation Board (2015-17); Director (retired), MTC Forensics (1982-2013).

two physicians, and a physicist, demonstrates that there is very much a live controversy about the SBS/AHT hypothesis and maintains that, under traditional principles of Evidence law, physicians should not be permitted to “diagnose” abuse (as opposed to identifying specific symptoms or medical findings) in court.

INTRODUCTION

Few medico-legal matters have generated as much controversy—both in the medical literature and in the courtroom—as Shaken Baby Syndrome (SBS), now known more broadly, at the urging of the American Academy of Pediatrics, as Abusive Head Trauma (AHT).¹ The medical and legal literature is replete with research and opinion pieces debating all aspects of the hypothesis;² entire sessions at medical and legal conferences are devoted to examining the disputed issues and strategizing ways to defeat the other side in these debates;³ and growing numbers of courts are recognizing the controversies and overturning convictions on the

¹ Cindy W. Christian, Robert Block, and the Committee on Child Abuse and Neglect, *Abusive Head Trauma in Infants and Children*, 123 PEDIATRICS 1409, 1410 (2009) (“the American Academy of Pediatrics recommends adoption of the term ‘abusive head trauma’ as the diagnosis used in the medical chart to describe the constellation of cerebral, spinal, and cranial injuries that result from inflicted head injury to infants and young children”).

² See *infra* notes __ and accompanying text.

³ See, e.g., Brian Holmgren, Keynote Address at Eleventh International Conference on Shaken Baby Syndrome/Abusive Head Trauma: To Tell the Truth—Examining Defense Witness Testimony in Abusive Head Trauma Cases (Sept. 13, 2010) brochure at http://www.dontshake.org/pdf/Program_Atlanta2010_8-18-10%20v2.pdf (presentation notes and lyrics on file with authors); Robert M. Reece et al., *The Evidence Base for Shaken Baby Syndrome: Response to Editorial from 106 Doctors*, 328 BRIT. MED. J. 1316, 1316 (2004); Keith A. Findley, Patrick D. Barnes, David A. Moran, & Waney Squier, *Shaken Baby Syndrome, Abusive Head Trauma, & Actual Innocence: Getting It Right*, 12 HOUS. J. HEALTH L. & POL’Y 209, 241 (2012) (observing that National Association of Medical Examiners conference in 2006 “included presentations entitled ‘Use of the Triad of Scant Subdural Hemorrhage, Brain Swelling, and Retinal Hemorrhages to Diagnose Non-Accidental Injury is Not Scientifically Valid’ and “‘Where’s the Shaking?’ Dragons, Elves, the Shaking Baby Syndrome and Other Mythical Entities.’”).

basis of the expanding uncertainties related to medical opinion purporting to diagnose abuse.⁴

⁴ See, e.g., *People v. Ackley*, 870 N.W.2d 858 (Mich. 2015) (ineffective assistance of counsel for failure to present medical evidence disputing the prosecution experts' SBS/AHT-based opinions); *People v. Bailey*, 47 Misc.3d 355, 370 (N.Y. 2014) (newly discovered evidence of emerging medical research challenging the SBS/AHT diagnosis); *People v. Bartok*, 377 Ill.App.3d 1160 (2007) (Table); *People v. Baumer*, 781 N.W.2d 309 (Mich. 2010) (ineffective assistance of counsel); *Ex Parte Briggs*, 187 S.W.3d 458 (Tex. Cr. App. 2005) (ineffective assistance of counsel); Armando Castillo, <https://www.azjusticeproject.org/manifest-injustice-profiles/armando-castillo> (ineffective assistance of counsel and newly discovered evidence); *Brown v. State*, 152 So.3d 1146 (Miss. 2014) (trial court erroneously denied funds for defense to hire experts to challenge state's expert medical evidence); *People v. Di Mambro*, 897 N.W.2d 233 (Mich. 2016) (ineffective assistance of counsel); Theresa Engberg-Lehmer (Barry Siegel, *Judging Parents as Murderers on 4 Specks of Blood*, L.A. TIMES, p. A-1, July 11, 1999, available at <http://articles.latimes.com/1999/jul/11/news/mn-54984>) (newly discovered evidence); *Commonwealth v. Epps*, 53 N.E.3d 1247 (Mass. 2016) (ineffective assistance of counsel and newly discovered evidence); *In re Pers. Restraint of Fero*, 367 P.3d 588 (Wash. App. 2016) (newly discovered medical evidence), rev. granted, 390 P.3d (Wash. 2017) (newly discovered medical evidence); *State v. Hales*, 152 P.3d 321 (Utah 2007) (ineffective assistance of counsel); *State v. Hansen*, 805 N.W.2d 915 (Minn. 2011) (newly discovered medical evidence); *Ex Parte Henderson*, 384 S.W.3d 833 (Tex. 2012) (newly discovered medical evidence); *State v. Hyatt*, 06M70 CR00016:::J02 (Cir. Ct. Shelby Cty, Mo., Nov. 2007) (newly discovered medical evidence); *Isham v. State*, 161 So.3d 1076 (Miss. 2015) (ineffective assistance of counsel); Joel Lehmer, NATIONAL REGISTRY OF EXONERATIONS, <https://www.law.umich.edu/special/exoneration/Pages/casedetail.aspx?caseid=3953> (newly discovered medical evidence); Ernie Lopez, NATIONAL PUBLIC RADIO, <https://www.npr.org/2012/03/05/147969316/free-but-not-cleared-ernie-lopez-comes-home> (ineffective assistance of counsel); <https://californiainnocenceproject.org/read-their-stories/kenneth-marsh/> (newly discovered evidence); *Commonwealth v. Millien*, 50 N.E.3d 808 (Mass. 2016) (ineffective assistance of counsel); John Peel, NATIONAL REGISTRY OF EXONERATIONS, <https://www.law.umich.edu/special/exoneration/Pages/casedetail.aspx?caseid=3813> (newly discovered evidence); *Illinois v. Rieken*, 05C CF:::J75 (Cir. Ct. Iroquois Cty, IL, March 2009) (newly discovered medical evidence); *People v. Roberts*, 892 N.W.2d 353 (Mich. 2017) (ineffective assistance of counsel); *State v. Schoonmaker*, 176 P.3d 1105 (N. Mex. 2008) (ineffective assistance of counsel); *State v. Ware*, 679 S.E.2d 797 (Ga. 2009) (ineffective assistance of counsel); *State v. Weaver*, 554

Increasingly, proponents of the SBS/AHT “diagnosis” have attempted to take the debate away from the courts through efforts to delegitimize those who criticize or challenge some aspects of the SBS/AHT hypothesis. Instead of encouraging full airing of scientific debate—a hallmark of true scientific inquiry—SBS/AHT-hypothesis proponents have sought to silence debate and dissent by demeaning physicians who break ranks,⁵ attempting to strip the critics of their medical licenses and society memberships⁶ or jobs,⁷ attempting to bar them from the courtroom,⁸ and even prosecuting

N.W.2d 240 (Iowa 1997) (ineffective assistance of counsel); *State v. Witt*, 2012 WL 5991566 (Ariz. 2012) (newly discovered medical evidence). Still other courts have also granted relief under the more difficult standards requiring a petitioner to establish actual innocence. *See, e.g.*, *Del Prete v. Thompson*, 10 F. Supp. 3d 907, (N.D. Ill. 2014) (medical evidence challenging the state’s SBS/AHT-based opinions established the petitioner’s “actual innocence” sufficiently to permit her to proceed on otherwise defaulted claims); *Robins v. State*, 385 P.3d 57 (Table), 2016 WL 5801204.

⁵ *See* Findley et al., *supra* note 3, at 226-27 & fns. 53 & 54 (describing how Dr. Christopher Greeley, Assoc. Professor of Pediatrics, Univ. of Tex. Health Sci. Ctr. at Houston, while presenting at New York City Abusive Head Trauma/Shaken Baby Syndrome Training Conference in 2011, suggested that researchers who question SBS/AHT theory use “sleaze tactics” and may have “histrionic/borderline” personality disorders; also noting that high-profile SBS/AHT prosecutor Brian Holmgren, who presented the Keynote Address at the Eleventh International Conference on Shaken Baby Syndrome/Abusive Head Trauma: To Tell the Truth—Examining Defense Witness Testimony in Abusive Head Trauma Cases, showed excerpts of testimony from defense experts juxtaposed with an image of Pinocchio with a growing nose, concluding with a sing-along to the tune of “If I only had a brain” led by a prominent child abuse pediatrician, joined by prosecutors and doctors, mocking those who propose diagnostic alternatives to SBS/AHT).

⁶ *See, e.g.*, Peter J. Strouse, *Child abuse: We have problems*, 46 PEDIATRIC RADIOLOGY 587, 588 (2016) (disparaging SBS/AHT “denialists” as “deceitful and unethical” and arguing that “[l]icensing bureaus could have a role by limiting practice” and that professional societies “should question condoning the activities of denialists by allowing them to continue membership and to continue to use society membership as evidence of expertise”).

⁷ *See id.* (“Institutions that harbor denialists, whether they be private practices or esteemed academic institutions, should carefully consider their employment.”).

⁸ *See, e.g.*, *Doctor wins appeal over shaken baby syndrome trials evidence*, THE GUARDIAN (Nov. 4, 2016), at <https://www.theguardian.com/society/2016/nov/04/doctor-waney-squier->

them criminally for their expert testimony on behalf of criminal defendants.⁹

Recently, these efforts have taken the form of denying that there is any debate at all about the reliability of SBS and AHT determinations. A recent very pointed example of that strategy, published as a so-called “consensus” statement by the Society for Pediatric Radiology (SPR),¹⁰ prompts us, as legal, medical, and science scholars, to respond.

While the particular article that motivates this response was published in a medical journal—*Pediatric Radiology*—we respond in a law journal because the SPR statement was written primarily, for a legal audience—specifically, to influence judges in the way they handle conflicting expert opinions in SBS/AHT cases and to equip prosecutors to overcome defense challenges. Indeed, the statement directly addresses the legal system, with major section headings such as, “The issues that perpetuate misconceptions in the courtroom,”¹¹ and, “What can be done to provide the court accurate information about the state of medical knowledge in AHT,”¹² along with subheadings such as, “The admissibility of expert evidence,”¹³ and the like. And the text speaks directly to the courts, asserting, for example, that “[c]ourts

[wins-appeal-shaken-baby-syndrome-trials-evidence](#) (describing efforts to revoke Dr. Waney Squier’s medical license and ban her from testifying in child abuse cases); Mark Hansen, *Battle of the Expert*, ABA J. (Dec. 2005) *available at* http://www.abajournal.com/magazine/article/battle_of_the_expert (describing complaint filed with Minnesota Board of Medical Practice in 1999 against Dr. John Plunkett after he testified on behalf of a baby sitter who was subsequently acquitted on charges of violently shaking a 14-month-old boy; the complaint against Plunkett was ultimately dismissed).

⁹ See, e.g., Hansen, *supra* note __ (describing perjury charges brought against Dr. John Plunkett in Oregon for his testimony in an SBS case—charges on which he was acquitted after a trial); Radley Balko, *Dr. John Plunkett, RIP. He told the truth about bad forensics—and was prosecuted for it*, THE WASHINGTON POST—THE WATCH (April 10, 2017), at https://www.washingtonpost.com/news/the-watch/wp/2018/04/10/dr-john-plunkett-rip-he-told-the-truth-about-bad-forensics-and-was-prosecuted-for-it/?utm_term=.99c825a28f81 (same).

¹⁰ Arabinda Kumar Choudhary et al., *Consensus Statement on Abusive Head Trauma in Infants and Young Children*, 48 PEADTR. RADIOL. 1048 (2018).

¹¹ *Id.* at 1057.

¹² *Id.* at 1058.

¹³ *Id.*

should assume that a consensus statement reflects general physician acceptance of a particular precept,”¹⁴ and that, “[e]xperts, through consensus statements, can also help courts identify the medical evidence that reflects scientific knowledge because it is supported by the evidence and has been generally accepted in the relevant field of pediatric medicine.”¹⁵ This, the SPR asserts, will “assist courts in identifying testimonial parameters for expert testimony and help judges and juries delineate evidence-based medical knowledge from fringe, speculative, or professionally irresponsible opinions.”¹⁶ To sum it up, the statement concludes that “[t]he professional societies’ consensus statement on AHT should help the court recognize unsubstantiated medical expert testimony.”¹⁷

Our response focuses on three points. First, we address the SPR’s contention that there is in fact no dispute about SBS/AHT, and therefore no reason for courts and juries to be distracted by dissenting expert opinions. Second, we address the SPR’s claim that SBS/AHT is purely a “medical diagnosis” and not at all a legal conclusion. Third, we address the clear implication in the SPR statement that, given the “general acceptance” purportedly represented by the consensus statement and the absolute absence of any real debate, the courts should defer entirely to the SPR and like-minded physicians’ groups rather than making independent judicial inquiry into the reliability of proffered expert testimony. Under this last point, we address two implicit sub-points from the SPR statement: (1) that courts should accordingly admit prosecution-proffered testimony, but not defense-proffered contrary testimony, about SBS/AHT; and (2) that courts should stop drawing the legal conclusion that emerging controversies and shifts in medical understandings about SBS/AHT provide a basis for granting postconviction relief in cases where convictions were obtained without benefit of the now-growing body of contradictory medical and biomechanical science.

I. Is SBS/AHT controversial?

In the debates about the reliability of the “diagnosis” of SBS/AHT, the recent tack by child abuse pediatricians is to deny

¹⁴ *Id.*

¹⁵ *Id.*

¹⁶ *Id.*

¹⁷ *Id.* at 1060.

that the debate exists—to deny there is any controversy at all.¹⁸ That approach is apparent in the new SPR statement. The statement asserts, for example, that “[t]here is no controversy concerning the medical validity of the existence of AHT, with multiple components including subdural hematoma, intracranial and spinal changes, complex retinal hemorrhages, and rib and other fractures that are inconsistent with the provided mechanism of trauma.”¹⁹ Later, the statement goes a step further, asserting, “AHT is a scientifically non-controversial medical diagnosis broadly recognized and managed throughout the world.”²⁰ According to the SPR, the purported controversy reflects merely false doubt generated by criminal defense attorneys and their unethical experts: “Efforts to create doubt about AHT include the deliberate mischaracterization and replacement of the complex and multifaceted diagnostic process by a near-mechanical determination based on the ‘triad’—the findings of subdural hemorrhage, retinal hemorrhage and encephalopathy.”²¹

A. Controversy in the medical literature

This claim of non-controversy, however, stands in stark contrast to even a casual review of the literature, both medical and legal. Contrast, for example, the SPR’s claim of no controversy to the following excerpt from the most recent official position paper of the American Academy of Pediatrics (AAP) (one of the most adamant proponents of the SBS/AHT hypothesis), published in 2009:

Few pediatric diagnoses engender as much debate as AHT, in part because of the social and legal consequences of the diagnosis. The diagnosis can result in children being removed from their homes,

¹⁸ Alternatively, child abuse pediatricians recognize the controversy, but argue that it should be ignored because it can impede their ability to diagnose abuse. As Dr. Robert Block wrote in 1999, “Although controversy may spark scientific inquiry, it can interfere with proper recognition and management. When one cares for children who have been shaken, with or without impact, the controversy has no place in the diagnosis of abuse, which has obviously occurred in either case.” Robert W. Block, *Child Abuse—Controversies and Imposters*, 29 CURR. PROBL. PEDIATR. 253 255 (1999).

¹⁹ Choudhary, *supra* note __, at 1.

²⁰ *Id.* at 2.

²¹ *Id.* at 3.

parents losing their parental rights, and adults being imprisoned for their actions. Controversy is fueled because the mechanisms and resultant injuries of accidental and abusive head injury overlap, the abuse is rarely witnessed, an accurate history of trauma is rarely offered by the perpetrator, there is no single or simple test to determine the accuracy of the diagnosis, and the legal consequences of the diagnosis can be so significant.²²

Likewise, when the National Association of Medical Examiners initially adopted a position paper endorsing the SBS hypothesis in 2001—a paper it declined to renew when it expired five years later—the editor of the *American Journal of Forensic Medicine and Pathology*, which published the position paper, added a note to the published version of the paper explaining: “The manuscript was reviewed by three reviewers on the Board of Editors of the *American Journal of Forensic Medicine and Pathology*. They believed that while it was worthy of publication it should not be published as a position paper because of the controversial nature of the subject.”²³

The medical literature is replete with similar acknowledgements of the controversy. Many such statements are found in writings by SBS critics, as one would expect.²⁴ But many

²² Christian, *supra* note __, at 1410.). Note the assumed conclusion that it is the “perpetrator” who is giving the “history.”

²³ National Association of Medical Examiners, Ad Hoc Comm. on Shaken Baby Syndrome, *Position Paper on Fatal Abusive Head Injuries in Infants and Young Children*, 22 AM. J. FORENS. MED. PATHOL. 112, 112 (2001). The editor also noted: “The Board of Directors responded to this opinion by stating that position papers always deal with controversial subjects.” *Id.*

²⁴ See, e.g., Patrick D. Barnes, *Ethical Issues in Imaging Nonaccidental Injury: Child Abuse*, 13 TOPICS IN MAGNETIC RESONANCE IMAGING 85, 85 (2002) (“One of the most controversial areas of nonaccidental injury is the medical diagnosis of inflicted central nervous system injury and its impact on medical, social, and legal outcomes for children and families.”); Steven C. Gabaeff, *Exploring the Controversy in Child Abuse Pediatrics and False Accusations*, 18 LEGAL MED. 90 (2016); Jan E. Leestma, FORENSIC NEUROPATH. 642 (3d ed. 2014). Randy Papetti, Paige Kaneb, & Lindsay Herf, *Outside the Echo Chamber: A Response to the “Consensus Statement on abusive Head Trauma in Infants and Young Children*, __ SANTA CLARA L. REV. __, __ (2019) (SBS/AHT “is not merely controversial, but is perhaps *the* most

acknowledgements are also found in articles by physicians who accept the basic premise of the hypothesis,²⁵ and even by physicians who are the most vocal proponents of the SBS/AHT hypothesis.²⁶ After the National Institutes of Health convened a

controversial area in forensic medicine”) (emphasis in original); RANDY PAPETTI, THE FORENSIC UNRELIABILITY OF THE SHAKEN BABY SYNDROME 7 (2018) (“today such basic issues as what the ‘syndrome’ is and on what bases it is diagnosed are themselves hotly debated issues”).

²⁵ See e.g., Paul Gerber & Kathryn Coffman, *Nonaccidental head trauma in infants*, 23 CHILDS NERV. SYST. 499, 505 (2007) (“Nonaccidental head trauma in infants is the leading cause of infant death from injury. The high rate of repeated abuse makes identification of potential cases crucial. The underlying biomechanics of injury in this syndrome and the purported sequelae of accidental and nonaccidental trauma remain controversial.”); Beth A. Costine-Bartell et al., *Development of a Model of Hemispheric Hypodensity (“Big Black Brain”)*, 35 J. NEUROTRAUMA 1, 2 (2018) (“the exact etiological mechanisms that cause injury in children with AHT remain controversial”); D.M.B. Hall, *The future of child protection*, 99 J. ROYAL SOCIETY OF MED. 6, 7 (2006) (“areas of controversy include the diagnosis of child sexual abuse, the problem of ‘shaken baby syndrome’ and the extent to which abnormally fragile bones might account for unexplained fractures”); Scott Denton & Darinka Mileusnic, *Delayed Sudden Death in an Infant Following an Accidental Fall: A Case Report with a Review of the Literature*, 24 AMERICAN J. FORENSIC MED. & PATHOL. 371, 371 (2003) (“Several controversies exist regarding ultimately lethal head injuries in small children. Death from short falls, timing of head injury, lucid intervals, presence of diffuse axonal injury (DAI), and subdural hematoma (SDH) as a marker of DAI are the most recent controversial topics of debate in this evolving field of study.”); Christopher J. Hobbs & Robert A.C. Bilo, *Nonaccidental trauma: clinical aspects and epidemiology of child abuse*, *Pediatr. Radiol.* DOI 10.1007/s00247-008-1136-y (2009) (referencing the “medial controversy” about “abuse in infants with head injury”).

²⁶ See, e.g., Carole A. Jenny, Gina Bertocci, Tsuguhiko Fukuda, Nagarajan Rangarajan, & Tariq Shams, *Biomechanical Response of the Infant Head to Shaking: An Experimental Investigation*, 34 J. NEUROTRAMA 1, 1 (2017) (“Controversy exists regarding whether violent shaking is harmful to infants in the absence of impact.”); K. P. Hymel, C. Jenny, & R. W. Block, *Intracranial hemorrhage and rebleeding in suspected victims of abusive head trauma: Addressing the forensic controversies*, 7 CHILD MALTREATMENT 329 (2002); Christopher S. Greeley, *Letter to the Editor, A Witnessed Short Fall Mimicking Presumed Shaken Baby Syndrome (Inflicted Childhood Neurotrauma)*, 44 PEDIATR. NEUROSURG. 90, 90 (2008) (“It is refreshing to see controversial topics addressed in the medical literature in such a balanced fashion. This will hopefully result in furthering our

conference in 2002 to consider the issues in SBS cases, the conference chair added a preface to the conference proceedings observing: “Because there is very little scientific experimental or descriptive work [on SBS], the pathophysiology remains obscure, and the relationship to mechanics even cloudier What we need is science—research and evidence that just isn't there right now.”²⁷ Among the physicians recognizing the controversy is Dr. Norman Guthkelch, who 40 years after first propounding the hypothesis observed that the “problem of potential child abuse ... has caused a great deal of controversy since it was first described.”²⁸ Indeed, Dr. Guthkelch added, “While controversy is a normal and necessary part of scientific discourse, there has arisen a level of emotion and divisiveness on shaken baby syndrome/abusive head trauma that has interfered with our commitment to pursue the truth.”²⁹

B. Controversy in the biomechanical & scientific literature

When one expands review of the literature to other relevant fields—most notably biomechanics—the depth of the controversy becomes even clearer.³⁰ As the SPR acknowledges, virtually all of the biomechanical research has concluded that even the most vigorous shaking cannot generate sufficient forces to reach estimated brain injury thresholds.³¹ The biomechanical research,

understanding of some of the controversies in inflicted brain injury and fewer unsupported opinions in legal proceedings.”); Mark S. Dias, *Inflicted head injury: future directions and prevention*, 13 NEUROSURG. CLIN. N. AM. 247, 247 (2002) (“Despite the explosion of interest and the clarification of certain features, many unanswered questions remain [about AHT]. Some of the answers to these questions are difficult or even impossible to obtain, because the medical facts are, by nature, uncertain or unreliable in many cases.”);

²⁷ Carole E. Nicholson, Preface to AM. ACAD. OF PEDIATRICS, INFLICTED CHILDHOOD NEUROTRAUMA ix (Robert M. Reece & Carol E. Nicholson eds., 2003) (publishing the conference proceedings).

²⁸ Guthkelch, *supra* note __, at 201.

²⁹ *Id.*

³⁰ See, e.g., D. R. Wolfson, D. S. McNally, M. J. Clifford, & M. Vloeberghs, *Rigid-body modelling of shaken baby syndrome*, 219 PROCEED. INST. MECH. ENG., PART H: J. ENG. IN MED. 63, 66 (2004) (“There is still controversy as to the mechanisms of injury, specifically the requirement for impact.”)

³¹ See, e.g., A. C. Duhaime et al., *The Shaken Baby Syndrome: A Clinical, Pathological and Biomechanical Study*, 66 J. NEUROSURG. 409

for example, reveals that vigorous shaking generates accelerations roughly equivalent to a one-foot fall onto carpet,³² and a fall of just three-to-four feet generates at least ten times the load of the most violent shaking, well within injury thresholds.³³ The SPR's response, however, is not to acknowledge that this creates serious doubt—and hence controversy—about pure shaking as a mechanism of injury, but to reject the biomechanical research because it does not comport with these physicians' view of reality.³⁴ While there are indeed methodological challenges with the biomechanical research,³⁵ no one has yet explained why or how the

(1987); M.T. Prange et al., *Anthropomorphic Simulations of Falls, Shakes, and Inflicted Impacts in Infants*, 99 J. NEUROSURG. 143 (2003). Only two outlier biomechanical investigations suggest that violent shaking might possibly generate sufficient accelerations to produce significant brain injury, but in both cases those accelerations were achieved only with *impact*, and both articles have been subject to considerable criticism. Compare Jenny et al., *supra* note __ and C. Z. Cory & M. D. Jones, *Can Shaking Alone Cause Fatal Brain Injury?: A biomechanical assessment of the Duhaime shaken baby syndrome model*, 43 Med., Sci. & L. 317 (2003), with Dutch Johnson & Roland N. Auer, *Commentary on: Jenny Carole A., Bertocci Gina, Fukuda Tsuguhiko, Rangarajan Nagarajan, and Shams Tariq. Biomechanical Response of the Infant Head to Shaking: An Experimental Investigation*, 34 J. NEUROTRAMA 1579 (2017).

³² Michael T. Prange et al., *Anthropomorphic Simulations of Falls, Shakes, and Inflicted Impacts in Infants*, 99 J. NEUROSURG. 143 (2003).

³³ A. K. Ommaya et al., *Biomechanics and Neuropathology of Adult and Paediatric Head Injury*, 16 BRIT. J. NEUROSURG. 220, 226 (2002).

³⁴ For example, when confronted with the biomechanical research that indicates that shaking alone cannot cause the injuries and findings ascribed to SBS, Dr. Jill Glick, Professor of Pediatrics at the University of Chicago, testified in 2009 that “the whole point of biomechanic studies is to create what we know happens in nature and ... biomechanic models have yet to recreate what happens in nature and once those biomechanic models create what we know happens, they will be very valuable for us [W]e do know that children are shaken and have traumatic brain injury.... Not saying that every child with that trauma is shaken. I'm just saying that those that are shaken have been and so if we can't create that in the lab then the lab really doesn't tell us much.” *People v. Constance Rieken*, Iroquois County, Illinois, Case No. 05-CF-75, Testimony of Dr. Jill Glick, Transcript at 35-36 (Feb. 19, 2009).

³⁵ Biomechanical research utilizes dummies (such as crash test dummies), animal tests, cadaver tests, and computer simulations, and none are of course perfectly representative of the human infant body (although they are routinely accepted for research in other safety areas,

modeling might be so far off target as to produce the conclusions it has to date, and no one has produced other models and defensible estimated injury thresholds to establish that shaking can cause such injuries. Biomechanics, as a whole, quite consistently alone creates the scientific controversy that the SPR prefers that courts not notice.³⁶

SBS/AHT proponents respond that, even if shaking alone cannot cause such injuries, there is no dispute that shaking *with impact* can (hence the name change from SBS to AHT). That is certainly true. But that does not resolve the controversies. For if impact can cause these injuries and the constellation of medical findings—and the biomechanical research confirms that it can—then is shaking even relevant? And if impacts can cause these injuries, how can medicine purport to distinguish between inflicted and accidental impacts, such as the impact from a short fall, or those involving and not involving shaking? Indeed, the biomechanical research shows not only that shaking is an unlikely mechanism for these injuries, but also that even the most vigorous shaking generates 1/50th of the force of short-distance falls, such as accidental falls from furniture (beds, couches, changing tables, etc.).³⁷ To rely on brain and eye injuries to diagnose SBS or AHT, despite a caregiver’s report of a short fall (as happens with some regularity), is inherently controversial, given that the

such as automobile, playground, and sports equipment safety). Moreover, it is true that infant brain injury thresholds in this research are based in part on estimates and scaling from known adult injury thresholds, while the infant brain is not just a miniature adult brain. But the research is nonetheless well-grounded in established techniques, and no one has yet marshaled an argument to support a conclusion that the estimated infant injury thresholds are off by such a significant magnitude as to overcome the conclusions of the research—that shaking alone cannot cause the injuries ascribed to it by the SBS hypothesis.

³⁶ See, e.g., R.W.G. Anderson et al., *Biomechanical studies in an ovine model of non-accidental head injury*, 47 *BIOMECHANICS* 2578, 2578 (2014) (“Many aspects of NAI-II remain controversial and intermittently undergo revision ... including whether shaking alone is sufficient to injure the brain or whether an additional head impact is required.”).

³⁷ A. C. Duhaime et al., *The Shaken Baby Syndrome: A Clinical, Pathological and Biomechanical Study*, 66 *J. NEUROSURG.* 409, 413 (1987). See also M.T. Prange et al., *Anthropomorphic Simulations of Falls, Shakes, and Inflicted Impacts in Infants*, 99 *J. NEUROSURG.* 143 (2003) (the peak rotational accelerations for a shake are less than those in a one-foot fall onto carpet).

biomechanical research so strongly points to the short fall as the much more plausible cause of the injuries.

C. Uncertainty about SBS mechanisms and conclusions

In the end, to suggest that there is no controversy, given how little is understood about the mechanism and pathophysiology of infant brain injury in these cases, is to defy both reality and reason. Yet one area on which there is true agreement is that these matters are not well understood.³⁸ Controversy under these circumstances is inevitable, and it is indeed healthy for the development of scientific knowledge.

Whenever a medical conclusion lacks gold-standard (or even somewhat-defined) criteria, the conclusion is inherently controversial—at least in the sense that different physicians will interpret the presenting signs in different ways and will disagree about specific cases. And yet *everyone* agrees that there are no gold-standard criteria for SBS or AHT.³⁹ That concession is indeed part of the reason why the SPR (and other SBS/AHT-hypothesis

³⁸ See, e.g., Costine-Bartell, *supra* note __, at 7 (“While the exact etiologic mechanisms that cause injury in children with AHT remain controversial, repetitive motions attempting to model aspects of shaking have been employed in some animal models to investigate injury, but none has resulted in the extensive SDH nor the wide-spread hypoxic-ischemic type damage observed after the more severe forms of AHT in children”); *id.* at 30 (“The exact pathophysiological mechanisms by which wide-spread unilateral hemispheric hypoxic-ischemic injury is initiated and propagated in children are not fully understood, but similar findings were produced in this model in the absence of angular acceleration/deceleration.”); Gil Binenbaum et al., *Retinal hemorrhage and brain injury patterns on diffusion-weighted magnetic resonance imaging in children with head trauma*, 17 J. AAPOS 603, 603 (2013) (team of SBS/AHT adherents acknowledging that “[t]here are currently multiple hypothesized factors in the pathogenesis of brain pathology and retinal hemorrhage in abusive head trauma ... [and] the relative importance of these factors cannot be determined precisely based on the published data.”); *id.* at 604 (asserting an association between retinal hemorrhages and AHT but acknowledging, “however, the mechanisms underlying retinal hemorrhages are still not clearly established ...”);

³⁹ See, e.g., Kent P. Hymel et al., *Derivation of a Clinical Prediction Rule for Pediatric Abusive Head Trauma*, 14 PEDIATR. CRITI. CARE MED. 210, 212 (2013) (“Gold standard definitional criteria for AHT do not exist. ... [I]n the absence of a gold standard, clinicians rarely confirm or exclude AHT with complete certainty and are compelled instead to adopt a probabilistic approach to the diagnosis.”).

proponents) now go to such lengths to distance themselves from the classic triad—the presence of subdural hematoma, retinal hemorrhages, and encephalopathy or cerebral edema—as a valid standard, and to argue that the triad is a “strawman” and a defense construct.⁴⁰

In that regard, the SPR engages in more than a bit of revisionist history, as the “triad” was not constructed by defense lawyers but by child abuse physicians and prosecutors. For many

⁴⁰ Choudhary, *supra* note __, at 1050.

years those SBS-hypothesis proponents wrote,⁴¹ taught,⁴² and testified⁴³ that the presence of the “triad”—and sometimes even

⁴¹ See, e.g., David L. Chadwick et al., *Shaken Baby Syndrome—A Forensic Pediatric Response*, 101 PEDIATRICS 321, 321 (1998) (letter published by 72 leading child abuse pediatricians asserting that SBS “is now a well-characterized clinical and pathological entity with diagnostic features in severe cases virtually unique to this type of injury—[1] swelling of the brain (cerebral edema) secondary to brain injury, [2] bleeding within the head (subdural hemorrhage), and [3] bleeding in the interior lining of the eyes (retinal hemorrhages).”); Jeffrey M. Jentzen, *Pathological Findings in Fatal Shaken Impact Syndrome*, in THE SHAKEN BABY SYNDROME: A MULTIDISCIPLINARY APPROACH 199, 300 (Steven J. Lazoritz & Vincent J. Paluski, eds., 2001) (the “classical findings of retinal hemorrhages, subdural hematoma, and brain swelling cannot be fully explained by any other medical entity”); B. Harding, R. A. Risdon, & H. F. Krouse, *Shaken baby syndrome: Pathological diagnosis rests on the combined triad, not on individual injuries*, 328 BRIT. MED. J. 720 (2004); P. G. Richards et al., *Shaken Baby Syndrome*, 91 ARCH. DIS. CHILD 205, 205 (2006) (“The triad of encephalopathy, subdural haemorrhages, and retinal haemorrhages as an indicator of head injury has stood the test of time.”); Vinchon et al., *Confessed abuse versus witnessed accidents in infants: comparison of clinical, radiological, and ophthalmological data in corroborated cases*, 26 CHILDS NERV. SYST. 637, 637 (2010) (“The hallmarks of shaken baby syndrome (SBS) are subdural hematomas (SDH), encephalopathy, and retinal hemorrhage (RH).”); Brian K. Holmgren, *Prosecuting the Shaken Infant Case*, in THE SHAKEN BABY SYNDROME: A MULTIDISCIPLINARY APPROACH 307 (Steven J. Lazoritz & Vincent J. Paluski, eds., 2001) (“The expert who acknowledges the classic findings of SBS including subdural hematoma, retinal hemorrhage and edema, but chooses to ignore this constellation of findings in favor of an alternative hypothesis will appear foolish.”); Paul Gerber & Kathryn Coffman, *Nonaccidental head trauma in infants*, 23 CHILDS. NERV. SYST. 499, 499 (2007) (“Clinical features that suggest inflicted head trauma include the triad of the so-called shaken baby syndrome, consisting of retinal hemorrhage, subdural, and/or subarachnoid hemorrhage in an infant with little signs of external trauma.”).

⁴² For example, authoritative child-abuse textbooks in the late 1990s and early 2000s acknowledged the triad and declared it in its complete form to be pathognomonic (distinctively characteristic) of SBS. See Robert A. Kirschner, *The Pathology of Child Abuse*, in THE BATTERED CHILD 272-73 (Mary E. Helfer et al., eds. 5th ed. 1997) (“SBS usually produces a diagnostic triad of injuries ... [which] must be considered virtually pathognomonic of SBS in the absence of documented extraordinary blunt force such as an automobile accident.”); Kenneth W. Reichert et al., *Neurologic Sequelae of Shaken Baby Syndrome*, in THE

single elements of the triad⁴⁴—were pathognomonic for abuse.⁴⁵ We are gratified to see that, today, proponents of the SBS/AHT hypothesis acknowledge that neither the triad nor any other specific findings can be relied upon conclusively to “diagnose

SHAKEN BABY SYNDROME: A MULTIDISCIPLINARY APPROACH 79, 83 (Stephen Lazowitz & Vincent J. Palusci, eds., 2001) (“For all practical purposes, however, retinal hemorrhages in association with acute subdural hemorrhaging means that a violent shaking with or without impact occurred.”); ROBERT M. REECE, CHILD ABUSE: MEDICAL DIAGNOSIS AND MANAGEMENT 503 (2d ed. 2001) (“Shaken Baby Syndrome ... usually produces a triad of injuries that includes cerebral edema, subdural hemorrhage, and retinal hemorrhages. No other medical condition fully mimics all of its features.”). *See also* Rob Parrish, *Executive Summary of the Third National Conference on Shaken Baby Syndrome* 1 (2000) (“Often referred to as the ‘triad,’ the consensus appears to be that a collection of (1) damage to the brain, evidenced by severe brain swelling and/or diffuse traumatic axonal injury; (2) bleeding under the membranes which cover the brain, usually subdural and/or subarachnoid bleeding; and, (3) bleeding in the layers of the retina, often accompanied by other ocular damage, when seen in young children or infants, is virtually diagnostic of severe, whiplash shaking of the head.”), *available at* <http://www.dontshake.or/media/k2/attachments/2000-SaltLakeCityProgram.pdf>.

⁴³ *See* DEBORAH TUERKHEIMER, *FLAWED CONVICTIONS: “SHAKEN BABY SYNDROME” AND THE INERTIA OF INJUSTICE* 7-12, 31-44 (Oxford University Press, 2014) (citing examples of courtroom testimony).

⁴⁴ *See, e.g.*, Arthur B. Eisenbrey, *Retinal Hemorrhage in the Battered Child*, 5 CHILD’S BRAIN 40, 42 (1979) (“retinal hemorrhage in children under 3 with or without other evidence of injury is pathognomonic of the battered child syndrome”); J. E. Carter et al., *Whiplash Shaking Syndrome: Retinal Hemorrhages and Computerized Axial Tomography of the Brain*, 7 CHILD ABUSE & NEGLECT 279, 280 (1983) (“bilateral extensive pale-centered retinal hemorrhages ... are considered pathognomonic of the syndrome of whiplash shaking injury and child abuse”); ROB PARRISH, U.S. DEP’T OF JUSTICE, *BATTERED CHILD SYNDROME: INVESTIGATING PHYSICAL ABUSE AND HOMICIDE* 8 (4th printing 2002) (“According to all credible studies in the past several years, retinal hemorrhages in infants is, for all practical purposes, conclusive evidence of shaken baby syndrome in the absence of a good explanation”—such as severe automobile accidents and false from several stories onto a hard surface). *See also* PAPETTI, *supra* note __, at 51 n.175 (citing literature and case testimony claiming SBS diagnosis on the basis of one or two features of the triad).

⁴⁵ *See* Papetti, et al., *supra* note __, at __ (citing much of the literature in which the triad was deemed essentially pathognomonic for SBS/AHT).

abuse.”⁴⁶ That is scientific progress, and it resolves one area of dispute—but by no means all, for it now creates other controversies about what physicians *can* rely upon to “diagnose abuse.”

Yet even SBS/AHT hypothesis proponents acknowledge that, in the absence of agreed-upon criteria, the determination is inherently controversial and difficult. As Leventhal and colleagues have observed, “Making or refuting a diagnosis of abusive head trauma is challenging.”⁴⁷ Leventhal bemoans this reality as one of the “key challenges” facing physicians when evaluating young children for abuse. Leventhal observes:

A ... challenge occurs when families receive dissimilar information from different clinicians about the likelihood of abuse. When some clinicians tell families that they are concerned about abuse and other clinicians indicate that abuse is being ruled out or that the child is cleared, families may not only become confused, but also have a tendency to split the clinicians into good and bad ones. These inconsistencies in how clinicians discuss the likelihood of abuse with families help reinforce the view that the caregiver did nothing wrong and that the physicians cannot even decide if the child was abused.⁴⁸

No wonder physicians who style themselves child-abuse specialists want to deny the validity of any disagreements or controversies, and attempt to silence or delegitimize all who disagree.

D. Controversy in the face of claimed consensus

Publication of the SPR “consensus” statement does not resolve the controversies. It is dangerous and inappropriate to suggest that, because the SPR has published a statement proclaiming consensus among pediatric radiologists, the matters are settled and free of all controversy. As has been widely observed,

⁴⁶ See, e.g., Sandeep Narang, *A Daubert Analysis of Abusive Head Trauma/Shaken Baby Syndrome*, 11 HOUS. J. HEALTH L. & POL’Y 505, 571 (2011) (“However, the mere presence alone of SDHs and RHS does not establish a diagnosis of AHT.”)

⁴⁷ Leventhal, *supra* note __, at S541.

⁴⁸ Leventhal, *supra* note __, at S538.

science is not a democracy.⁴⁹ Moreover, under the regime created by *Daubert*, the mere say-so of a guild of experts, no matter how unified they might be, is never enough, in law or in science; what matters is whether the scientific claims are adequately supported by scientific evidence. As one of us observed some years ago, “The guild test does at least claim to deal with reliability of the process beyond individual experience, but the reliability judgment is delegated to a group that, by definition, already believes in the process. The guild test trades the ipse dixit of the individual for the ipse dixit of the group.”⁵⁰ Or as Dr. Norman Guthkelch observed in 2012, “the issue is not what the majority of doctors (or lawyers) think but what is supported by reliable scientific evidence”⁵¹ And as the authors of a recent Swedish government report on the weak scientific foundation for the SBS hypothesis put it, “we need to distinguish between evidence-based knowledge and state-of-the-art consensus and, if we expect to achieve a reflective equilibrium, then the consensus should be adapted to the evidence and not vice-versa.”⁵²

In any event, one should not be misled by the claim that the SPR statement truly reflects “consensus,” at least not in the way the word ordinarily suggests. The “consensus” statement was not approved or even voted upon by all, or even a majority, of the membership of the SPR. It was not even subjected to debate by the membership. It was, instead, the product of a small group of true-believers in SBS/AHT, appointed by the SPR’s governing body. Of the committee’s 15 members, almost all had previously staked out published opinions defending the SBS/AHT hypothesis or attacking its critics,⁵³ several are not radiologists but child-abuse

⁴⁹ *E.g.*, Jacek Z. Kubiak, *Science is not a democracy*, 50 INT. J. DEV. BIOL. 586 (2006).

⁵⁰ D. Michael Risinger, *Defining the Task at Hand”: Non-Science Forensic Science after Kuhmo Tire Co. v. Carmichael*, 57 WASH. & LEE L. REV. 767, 777 (2000).

⁵¹ A. N. Guthkelch, *Problems of Infant Retino-Dural Hemorrhage with Minimal External Injury*, 12 HOUS. J. HEALTH L. & POLICY 201, 207-208 (2012). *See also* Christopher Milroy, M.D., *Forward to RANDY PAPETTI, THE FORENSIC UNRELIABILITY OF THE SHAKEN BABY SYNDROME* xi, xiii (2018) (“these issues should not turn on past or even current acceptance of SBS and AHT beliefs among physicians; these are matters of reliability, not popularity”).

⁵² Niels Lynøe & Anders Eriksson, *Consensus should be adapted to the evidence and not vice-versa*, 107 ACTA PAEDIATRICA 1476, 1476 (2018).

⁵³ *See, e.g.*, Dawn Saunders, **Maria Raissaki, Sabah Servaes,**

pediatricians⁵⁴ and a pediatric neurosurgeon⁵⁵ who are all leading advocates of the hypothesis, and one is not a physician,⁵⁶ but is instead the only law professor who has published widely in support of the hypothesis⁵⁷ and against the growing body of legal

Catherine Adamsbaum, **Arabinda Kumar Choudhary**, **Joëlle Anne Moreno**, Rick R. van Rijn, **Amaka C. Offiah**, *Throwing the baby out with the bath water—response to the Swedish Agency for Health Technology Assessment and Assessment of Social Services (SBU) report on traumatic shaking*, 47 PEDIATR. RADIOL. 1386 (2017) (SPR “consensus” paper co-authors highlighted in bold); **Thomas. L. Slovis** et al., *The creation of non-disease: an assault on the diagnosis of child abuse*, 42 PEDIATR. RADIOL. 903 (2012); Robert W. Block & **Vincent J. Palusci**, *Child Abuse Pediatrics: A new pediatric subspecialty*, 148 J. PEDIATRICS 711 (2006) (SPR “consensus” paper co-author highlighted in bold); **Gary L. Hedlund** & Lori D. Frasier, *Neuroimaging of Abusive Head Trauma*, 5 FORENS. SCI. MED. & PATHOL. 280 (2009) (SPR “consensus” paper co-author highlighted in bold); **Narang**, *supra* note __; **Mark S. Dias**, *The Case for Shaking*, in CHILD ABUSE AND NEGLECT: DIAGNOSIS, TREATMENT, AND EVIDENCE 364 (Carole Jenny ed., 2011); **Christian** & Block, *supra* note 1; **V. Michelle Silvera** et al., *Retroclival Collections Associated with Abusive Head Trauma in Children*, 44 PEDIATR. RADIOL. 621 (2014); Maura E. Ryan, **Susan Palasis** et al., *ACR Appropriateness Criteria Head Trauma—Child*, 11 AM. J. COLL. RADIOL. 939 (2014) (SPR “consensus” paper co-author highlighted in bold); Elizabeth E. Gilles and **Marvin D. Nelson, Jr.**, *Cerebral Complications of Nonaccidental Head Injury in Childhood*, 19 PEDIATR. NEUROL. 119 (1998) (SPR “consensus” paper co-author highlighted in bold).

⁵⁴ Sandeep K. Narang and Cindy W. Christian.

⁵⁵ Mark S. Dias.

⁵⁶ Joëlle Anne Moreno, J.D., Florida International College of Law. Professor Moreno’s participation as a co-author further confirms the essentially legal nature of the paper and the purported “diagnosis.”

⁵⁷ See Joëlle Anne Moreno & Brian Holmgren, *Dissent into Confusion: The Supreme Court, Denialism, and the False “Scientific” Controversy over Shaken Baby Syndrome*, 2013 UTAH L. REV. 153; Joëlle Anne Moreno & Brian Holmgren, *The Supreme Court Screws Up the Science: There Is No Abusive Head Trauma/Shaken Baby Syndrome “Scientific” Controversy*, 2013 UTAH L. REV. 1357.

scholarship⁵⁸ and judicial decisions⁵⁹ that challenge the hypothesis or the definitiveness of the “diagnosis.”

Moreover, the process leading to the publication of the SPR statement appears to have been designed to eliminate the possibility of real debate and disagreement. The statement claims to have undergone a “rigorous” consensus process, including dissemination to the SPR’s membership “for comment and if necessary further revisions.”⁶⁰ But the membership first received notice of this document on October 17, 2017, when they received an email accompanied by a 50-page, 211-reference version of the “consensus statement.”⁶¹ The membership was invited to submit responses, but was given only ten days, until October 27, 2017, for any such responses.⁶² Despite the shortness of this time, at least two prominent members of the SPR (and co-authors of this response)—Dr. Patrick D. Barnes at Stanford and Dr. Julie A.

⁵⁸ See Findley et al., *supra* note ___; Tuerkheimer, *supra* note ___; Tuerkheimer, *supra* note ___; TUERKHEIMER, *supra* note ___; Findley & Risinger, *supra* note __; Deborah W. Denno, *Concocting Criminal Intent*, 105 GEO. L.J. 323 (2017); Caitlin M. Plummer & Imran J. Syed, “*Shifted Science*” Revisited: *Percolation Delays and the Persistence of Wrongful Convictions Based on Outdated Science*, 64 CLEV. ST. L. REV. 483 (2016); Eza Bella Zakirova, *Shaken Baby Syndrome: As a Controversy in Wrongful Conviction Cases*, 81 ALB. L. REV. 1027 (2018); Keith Findley, David Moran, Patrick Barnes, & Carrie Sperling, *Examining Shaken Baby Syndrome Convictions in Light of New Medical Scientific Research*, 37 OKLA. CITY U. L. REV. 219 (2012); Edward J. Imwinkelried, *Shaken Baby Syndrome: A Genuine Battle of the Scientific (and Non-Scientific) Experts*, 46 CRIM. L. BULL. 6 (2010); Molly Gena, *Comment, Shaken Baby Syndrome: Medical Uncertainty Casts Doubts on Convictions*, 2007 WIS. L. REV. 701; Lauren Quint, *Note, Bridging the Gap: An Application of Social Frameworks Evidence to Shaken Baby Syndrome*, 62 HASTINGS L.J. 1839 (2011); Rachel Burg, *Note, Un-Convicting the Innocent: The Case for Shaken Baby Syndrome Review Panels*, 45 U. MICH. J.L. REFORM 657 (2012); Genie Lyons, *Comment & Note, Shaken Baby Syndrome: A Questionable Scientific Syndrome and a Dangerous Legal Concept*, 2003 UTAH L. REV. 1109; Daniel G. Orenstein, *Shaken to the Core: Emerging Scientific Opinion and Post-Conviction Relief in Cases of Shaken Baby Syndrome*, 42 ARIZ. ST. L.J. 1305 (2011).

⁵⁹ See note __, *infra*.

⁶⁰ Choudhary, *supra* note __, at 1058, Table 6.

⁶¹ Letter dated October 27, 2017, from Drs. Patrick D. Barnes and Julie A. Mack to the Society for Pediatric Radiology (on file with the authors). The letter is attached in full as Appendix 1 to this Article.

⁶² *Id.*

Mack at Pennsylvania State University—managed to submit a substantive, four-page, single-spaced response, identifying numerous areas of disagreement and concern.⁶³ In their letter, Drs. Barnes and Mack also wrote that, “[b]ecause of the short timeframe for comment, which is limited to SPR members, our feedback is abbreviated.”⁶⁴ They added that they were providing “these preliminary comments to meet the October 27 deadline, but ask for an opportunity to submit a more complete response.”⁶⁵ If the consensus statement were to be published, they added, “we ask that the response be published with the Statement or shortly thereafter. We also recommend that comments be invited from other interested parties.”⁶⁶ The SPR ignored the letter and each of its requests, and proceeded to publish the statement, proclaiming “consensus.”

The SPR also cites a survey of physicians likely to be involved in diagnosing SBS/AHT to claim strong support for the diagnosis.⁶⁷ The survey reports strong support among child-abuse physicians for the SBS/AHT diagnosis. That finding is hardly surprising, however, since the survey was targeted to those physicians “most commonly involved in suspected AHT cases.”⁶⁸

Even within this survey, however, the data show that one group of physicians—the group actually trained to assess cause of death, pathologists—diverges from the other physicians in their views about SBS and AHT. Among the relatively small cohort of pathologists included in this survey (n=27), fewer than half, only 40.7 percent (11 of 27) responded yes when asked if SBS is a valid diagnosis; the remainder—the majority—were divided evenly between saying no and that they did not know or were unsure.⁶⁹ A much higher percentage of pathologists—92.6 percent—responded that the broader diagnosis, AHT, is valid, but that tells us only that they believe that abusive head trauma (which would include blunt force trauma to the head) exists (which no one doubts in the abstract); it tells us nothing about whether these pathologists

⁶³ *Id.*

⁶⁴ *Id.* at 1.

⁶⁵ *Id.*

⁶⁶ *Id.*

⁶⁷ Choudhary, *supra* note __, at 1058 (citing Sandeep K. Narang, Cynthia Estrada, Sarah Greenberg, and Daniel Lindberg, *Acceptance of Shaken Baby Syndrome and Abusive Head Trauma as Medical Diagnoses*, 177 J. PEDIATR. 273 (2016)).

⁶⁸ *Id.* at 274.

⁶⁹ *Id.* at 277.

believe they can reliably determine AHT *caused by shaking or shaking with impact* on the basis of a few brain and eye findings, whether they can reliably rule out alternative causes, whether children so abused can experience a lucid interval before collapse, etc.—that is, it tells us nothing about the subset of issues on which there is real controversy in AHT. Elsewhere, other survey research suggests that the controversy is indeed widespread among pathologists.⁷⁰ And note that this survey tells us nothing about the views of the other group of scientists whose research overwhelmingly challenges the SBS/AHT hypothesis—the biomechanical engineers; they were not included in the survey at all. This survey simply does not prove an absence of controversy in the relevant scientific community taken as a whole.

Moreover, while the survey shows high levels of support among child-abuse physicians for the belief that SBS and AHT are valid diagnoses, and that shaking with or without impact is likely or highly likely to cause subdural hematomas, retinal hemorrhages, and coma or death, the survey masks nuances that lie at the heart of the real controversies.

First, it is worth noting that even among this group of physicians, belief in SBS/AHT is not universal—88 percent endorsed SBS as a general proposition and 93 percent endorsed AHT as a general proposition.⁷¹ Second, among these physicians, more reported believing that shaking with impact was likely to produce subdural hematoma, retinal hemorrhage, and coma or death than believed that shaking alone could cause each of these outcomes.⁷² Indeed, even among this group, fewer than 80 percent reported believing that pure shaking without impact is likely or highly likely to produce coma or death.⁷³ Clearly, even among this

⁷⁰ See Stephen J. Cina, *Controversies in Forensic Pathology: Results of a 2010 Survey of NAME Fellows*, 2 ACADEM. FORENS. PATHOL. 150, 151 (2012) (on-line survey data showing that by 2010 more than one-third of surveyed medical examiners no longer believed that it was even “possible to cause lethal closed head injuries in a small child by shaking alone”—let alone that they could diagnose abuse on the basis of the triad or related medical findings).

⁷¹ *Id.*

⁷² For example, just under 90 percent believed that shaking with impact was likely or highly likely to produce subdural hematoma compared to approximately 83 percent for shaking alone. And while approximately 89 percent believed that shaking with impact was likely or highly likely to lead to coma or death, fewer than 80 percent believed that shaking alone could produce such consequences. *Id.* at 276.

⁷³ *Id.*

group of child-abuse physicians, the matters are not free from controversy.

Second, even among the group who responded that pure shaking or shaking with impact was likely to produce subdural hematoma, retinal hemorrhage, and coma or death, this survey does not tell us whether these physicians believe that they can reliably “diagnose” SBS/AHT based on any individual or particular collection of these findings. Nor does it tell us other important but more nuanced specifics, such as whether these physicians believe that injury caused by shaking would also necessarily produce neck or spinal cord injury (which is rarely seen in SBS/AHT). Yet questions like these are where the controversies are most pronounced.

Finally, it is difficult to know exactly what to make of some of the survey results. The survey shows, for example, that only 3.1 percent of responding physicians reported a belief that short falls are likely or highly likely to result in death or coma. Given that short-fall deaths are now widely recognized in the literature and in well-documented case reports (including videotaped short-fall deaths),⁷⁴ it is hard to believe that nearly 97 percent of responding physicians believe that short falls cannot kill. Rather, it seems more likely that many respondents were interpreting this question to assess the likelihood that a short-fall death in *any given case* might have been the result of a short fall, given that everyone agrees that short-fall deaths are rare. But child deaths resulting from abuse that leaves no external injury are also rare. The real controversy, then, is *how rare* such short-fall deaths are, and how physicians can distinguish between cases where a reported short fall was the cause of a child’s coma or death and those in which it was not. Again, that is where the real controversy lies; this survey masks that real controversy.

E. Broad claims, nuanced controversies

⁷⁴ See, e.g., John Plunkett, *Fatal Pediatric Head Injuries Cause by Short-Distance Falls*, 22 AM. J. FORENS. MED. & PATHOL. 1 (2001); R. Hall, H. M. Reyes, M. Horvat, J. L. Meller, & R. Stein, *The Mortality of Childhood Falls*, 29 J. TRAUMA 1273 (1989); P. E. Lantz & D. E. Couture, *Fatal Acute Intracranial Injury, Subdural Hematoma, and Retinal Hemorrhages Caused by Stairway Fall*, 56 J. FORENS. SCI. 1648 (2011); D. L. Chadwick, G. Bertocci, E. Castillo, L. Frasier, E. Guenther, K. Handson, & H. F. Krous, *Annual Risk of Death Resulting From Short Falls Among Young Children: Less Than 1 in 1 Million*, 121 PEDIATRICS 1213 (2008).

As this discussion suggests, to some extent the question about whether there is controversy depends on what the precise proposition is that is at issue. In this regard, the SPR statement is misleading. The SPR claims that there is no dispute about the validity of the AHT conclusions. If by this the SPR means that there is no dispute that AHT occurs—that is, that adults can cause brain injuries to infants and toddlers by physically abusing them, and that such abuse will sometimes produce medically recognizable signs (even if they are not specific for abuse)—then there is indeed no dispute. No one disputes that child abuse is real.⁷⁵ Hence, the SPR misleads when it repeatedly labels the critics of the SBS/AHT hypothesis as “denialists.” The SPR cites no literature or courtroom testimony—and none can be found—in which any of the SBS/AHT critics denies that abusive head trauma and other forms of child abuse are real, or even that violently shaking a child is an unsafe thing to do.

But that does not mean there are no disputes. What *is* in dispute—given the lack of any “gold-standard” criteria for AHT, and the undeniable reality that all of the physical findings also have multiple non-abusive etiologies—is whether physicians can reliably determine the existence of SBS or AHT primarily on the basis of brain, eye, and related findings. Also in dispute is whether shaking alone can cause the serious brain injuries typical in these cases, at least without also causing massive neck injury (which, again, is almost never present⁷⁶), and a host of subsidiary questions, such as the mechanism of the injury (e.g., is subdural hemorrhage the product of torn bridging veins or is it the product of bleeding from the numerous more fragile vessels in the dura; is the encephalopathy the product of physical tearing of nerves, or does it arise from hypoxia-ischemia?⁷⁷), how to interpret the possibility of alternative causes of injury, whether a child could have experienced a significant period of lucidity between injury and collapse, and the like.⁷⁸ Those are serious scientific questions, not the thoughtless dismissiveness of “denialists.”

⁷⁵ See Papetti, *Echo Chamber*, *supra* note __, at __.

⁷⁶ See Robert M. Reece, *Controversies in Shaken Baby/Shaken Impact Syndrome*, in *THE SHAKEN BABY SYNDROME: A MULTIDISCIPLINARY APPROACH* 384 (Steven J. Lazoritz & Vincent J. Paluski, eds., 2001) (“Injuries to the neck muscles or cervical vertebrae are distinctly uncommon in SBS/SIS.”); *see also* PAPETTI, *supra* note __, at 55 n.184 (citing literature and cases).

⁷⁷ See Papetti, *Echo Chamber*, *supra* note __, at __.

⁷⁸ See Findley et al., *supra* note __, at 245.

F. Recognizing controversy: Independent scientific reviews

Given all of the challenges to researching and diagnosing child abuse, it is no wonder that when independent scientists—those steeped in knowledge of and fidelity to rigorous scientific principles and methods—examine SBS/AHT, they find it wanting. The most notable among such inquiries was undertaken by the Swedish Agency for Health Technology Assessment and Assessment of Social Services (SBU).⁷⁹ The SBU appointed a panel of leading pediatricians and experts in forensic medicine, radiology, medical epidemiology, and medical and research ethics to undertake a systematic review of the medical literature to assess the underlying strength of the SBS hypothesis and the diagnostic validity of the triad.⁸⁰ After retrieving 3,773 medical papers and identifying 1065 of them as relevant, the SBU found that only 30 met the inclusion criteria of potentially providing evidence on the diagnostic value of the triad,⁸¹ and of those, only two were of moderate quality; none were of high quality; and all the rest were low quality.⁸² Hence, the SBU concluded, “There is insufficient scientific evidence on which to assess the diagnostic accuracy of the triad in identifying traumatic shaking (very low quality evidence).”⁸³ In particular, the SBU noted that, because the research base is riddled with methodological flaws, including massive circularity, the “[s]ensitivity, specificity and predictive values” produced by the research result in “incorrect conclusions” and “incorrect calculations of incidence.”⁸⁴ In sum, the SBU concluded that the evidentiary foundation for SBS is of “very low quality.”⁸⁵

⁷⁹ Swedish Agency for Health Technology Assessment and Assessment of Social Services, *Traumatic Shaking: The Role of the Triad in Medical Investigations of Suspected Traumatic Shaking—A Systematic Review* (Report 255E 2016) (Oct. 26, 2016) (English version) [hereinafter SBU Report], available at <http://www.sbu.se/en/publications/sbu-assesses/traumatic-shaking--therole-of-the-triad-in-medical-investigations-of-suspected-traumatic-shaking/>.

⁸⁰ See Måns Rosén et al., *Shaken Baby Syndrome and the Risk of Losing Scientific Scrutiny*, 106 ACTA PAEDIATRICA 1905 (2017).

⁸¹ SBU Report, *supra* note __, at 21-22.

⁸² *Id.* at 22-25.

⁸³ *Id.* at 5.

⁸⁴ *Id.* at 30.

⁸⁵ *Id.* at __.

When SBS/AHT-supporting pediatricians, somewhat predictably, lashed out at the Swedish report, its authors responded, clarifying and re-emphasizing the weakness of the scientific basis for medical conclusions of SBS: “As the triad is a very important criterion used by child-protection teams, the extremely high diagnostic accuracy of the triad is obviously not based on scientific criteria but rather on circular reasoning. In other words, it is a self-fulfilling prophecy.”⁸⁶

Previously, in Canada, in 2008, the government of Ontario conducted an exhaustive inquiry into pediatric forensic pathology in the province. The product was a 674-page report, which became known as the Goudge Inquiry, after Court of Appeal Judge Stephen Goudge who was Commissioner of the inquiry.⁸⁷ The inquiry was instigated by concerns about the pediatric pathology system in general, and in particular about one apparently rogue pediatric forensic pathologist—Dr. Charles Smith—who dominated the field in Ontario for years. But in the course of investigating the field, the Goudge Inquiry identified the same potential problems with SBS that have fueled the debates elsewhere for the past two decades. The Report noted that “one of the deepest controversies surrounding pediatric forensic pathology concerns shaken baby syndrome,”⁸⁸ and described the matter as “fraught with controversy.”⁸⁹

Most recently, in the United States, in 2016, the President’s Council of Advisors on Science and Technology (PCAST)—a group of respected scientists from a variety of disciplines—issued a report assessing the scientific status of a host of traditional forensic disciplines, focusing particularly on feature-comparison disciplines.⁹⁰ Although SBS/AHT is not a feature-comparison discipline, PCAST was concerned enough about the scientific underpinnings of the SBS/AHT hypothesis that it observed:

⁸⁶ Niels Lynøe et al., *Authors’ Overarching Reply to All the Responses Received to the systematic Literature Review on Shaken Baby Syndrome*, 106 ACTA PAEDIATRICA 1031, 1031 (2017).

⁸⁷ STEPHEN GOUDGE, *THE INQUIRY INTO PEDIATRIC FORENSIC PATHOLOGY IN ONTARIO* (2008).

⁸⁸ *Id.* at 527.

⁸⁹ *Id.* at 528.

⁹⁰ EXECUTIVE OFFICE OF THE PRESIDENT, PRESIDENT’S COUNCIL OF ADVISORS ON SCIENCE AND TECHNOLOGY, *REPORT TO THE PRESIDENT, FORENSIC SCIENCE IN CRIMINAL COURTS: ENSURING SCIENTIFIC VALIDITY OF FEATURE COMPARISON METHODS* (2016), *available at* https://obamawhitehouse.archives.gov/sites/default/files/microsites/ostp/PCAST/pcast_forensic_science_report_final.pdf.

“PCAST notes that there are issues related to the scientific validity of other types of forensic evidence that are beyond the scope of this report but require urgent attention—including notably arson science and abusive head trauma commonly referred to as ‘Shaken Baby Syndrome.’”⁹¹ A medical conclusion truly well grounded in scientific research and free of significant doubt or controversy is hardly the kind of field whose “scientific validity” requires “urgent attention.”

Again, the insights of Dr. Guthkelch are helpful:

“Getting it right” requires that we distinguish between hypotheses and knowledge. SBS and AHT are hypotheses that have been advanced to explain findings that are not yet fully understood. There is nothing wrong in advancing such hypotheses; this is how medicine and science progress. It is wrong, however, to fail to advise parents and courts when these are simply hypotheses, not proven medical or scientific facts, or to attack those who point out problems with these hypotheses or who advance alternatives.⁹²

G. Judicial recognitions of the shifting science and attendant controversy

In light of all these concerns, when courts have been pressed to assess the debates about SBS/AHT, most notably in postconviction proceedings in which the defendant seeks a new trial because new research reflects legitimate controversy while the state’s evidence at trial presented the matters as settled science, they invariably find emerging and growing legitimate debate—or even that many aspects of the old SBS hypothesis have been proven false.⁹³ The SPR would write these off as the decisions of guileless judges hoodwinked by deliberately misleading defense arguments and theories. But these decisions almost always issue after the court has heard extensive testimony from leading and knowledgeable experts on both sides of the debates, including extensive consideration of the relevant medical and scientific literature. And often their rulings are based on admissions that even prosecution experts have had to make about shifting understandings and evolving research in the field. While science

⁹¹ *Id.* at 23 n.15.

⁹² Guthkelch, *supra* note ___, at 207.

⁹³ *See* cases discussed *infra*, at notes ___ and accompanying text.

can indeed be challenging for judges, these are not uninformed decisions.

In the first such case to recognize the controversies and overturn a conviction, for example, involving a respected and much-loved in-home daycare provider named Audrey Edmunds, the Wisconsin Court of Appeals vacated the conviction on the basis of new research challenging the triad-based medical-expert opinions that had formed the heart of the state's case at Edmunds's trial in 1998.⁹⁴ The postconviction proceedings nearly a decade later produced expert evidence from ten doctors—six for the defense and four for the state, over four days of testimony. Reviewing that record, the appellate court ruled that:

Edmunds presented evidence that was not discovered until after her conviction, in the form of expert medical testimony, that a significant and legitimate debate in the medical community has developed in the past ten years over whether infants can be fatally injured through shaking alone, whether an infant may suffer head trauma and yet experience a significant lucid interval prior to death, and whether other causes may mimic the symptoms traditionally viewed as indicating shaken baby or shaken impact syndrome.⁹⁵

In Rochester, New York, in 2014, a court held a postconviction hearing spanning three weeks, at which it heard, in addition to the four experts who had testified at trial in 2001-2002, from an additional 13 experts—eight for the defense and five for the prosecution.⁹⁶ At the conclusion of those proceedings, the court granted a new trial, finding that “the credible evidence adduced at the Hearing, which was supported by expert testimony from different disciplines and specialties—pediatrics, radiology, pathology, ophthalmology, and biomechanical engineering established by a preponderance of the evidence that key medical propositions relied

⁹⁴ *See* State v. Edmunds, 746 N.W.2d 590 (Wis. App. 2008). Full disclosure: One of us (Findley) was counsel for Edmunds in that case, and another (Barnes) was one of the experts who testified on behalf of Edmunds in the postconviction proceedings.

⁹⁵ *Id.* ¶ 15.

⁹⁶ Full disclosure: One of us (Findley) was co-counsel for the defendant, Rene Bailey, in that case, and two of us (Barnes and Mack) were expert witnesses for the defense in the postconviction proceedings.

upon by the Prosecution at Trial were either demonstrably wrong, or are now subject to new debate.”⁹⁷ The trial court’s decision was affirmed on appeal.⁹⁸

Among the more dramatic of such cases was the holding of a federal judge in the Northern District of Illinois in 2014. After hearing from multiple experts, the court held that Jennifer Del Prete had proved her actual innocence in an SBS case sufficiently to permit her to proceed in federal habeas corpus despite having procedurally defaulted her constitutional claims in state court.⁹⁹ In addition to finding—based on consideration of the extensive expert testimony presented—that Del Prete was probably innocent of the SBS offense, the court added in a footnote that “the ... recent [scientific] developments in this area ..., arguably suggest[] that a claim of shaken baby syndrome is more an article of faith than a proposition of science.”¹⁰⁰

In sum, despite the SPR’s claim of “consensus,” the reliability of SBS/AHT diagnoses is very much a matter of serious and widespread controversy, in both medical and legal fora.

II. Is AHT a “medical diagnosis” or a “legal conclusion”?

A. The SPR’s claims

The SPR emphatically proclaims that the AHT conclusion “is a medical conclusion, not a legal determination....”¹⁰¹ The significance of this claim is two-fold. First, it supposedly justifies permitting *physicians* to render opinions about the *etiology* of a child’s brain injuries based on determinations that are often made by multidisciplinary child-abuse-prevention teams that include not only physicians, but also social workers, police officers, and prosecutors.¹⁰² The resulting determinations are often made on the

⁹⁷ *People v. Bailey*, 47 Misc.3d 355, 999 N.Y.S.2d 713, 725-26 (2014).

⁹⁸ *People v. Bailey*, 144 A.D.3d 1562 (N.Y. App. Div. 4th Dept. 2016).

⁹⁹ *Del Prete v. Thompson*, 10 F.Supp.3d 907 (N.D. Ill. 2014). Full disclosure: One of us (Barnes) testified as an expert witness for the defense in this case, and another (Mack) consulted with experts for the defense, but did not testify.

¹⁰⁰ *Id.* at 957 n.10.

¹⁰¹ Choudhary, *supra* note __, at 2.

¹⁰² *See, e.g.*, U.S. DEPT. OF JUSTICE, OFFICE OF JUSTICE PROGRAMS, OFFICE OF JUVENILE JUSTICE AND DELINQUENCY PREVENTION, FORMING A MULTIDISCIPLINARY TEAM TO INVESTIGATE CHILD ABUSE 5-6 (1998) (“In many States, the membership of MDT’s [Multi-Disciplinary Teams]

basis of facts well beyond the presenting medical conditions, such as caregiver demeanor or perceived inconsistencies in the caregiver’s narrative of events. Second, it lays the groundwork for telling lawyers and courts that they cannot second-guess the physicians and must defer to their judgment on whether a child has been abused. Together, these factors then justify permitting the physician to go beyond what other witnesses are permitted to do—to render *opinions*, and not just testimony based on personal knowledge, under Fed. R. Evid. 703 and *Daubert*¹⁰³ or *Frye*,¹⁰⁴ depending on the jurisdiction.

Hence, the SPR proclaims that “[t]he diagnosis of AHT is a *medical diagnosis* made by a multidisciplinary team of pediatricians and pediatric subspecialty physicians, social workers and other professionals based on consideration of all the facts and evidence.”¹⁰⁵ The “other professionals” mentioned in this sentence are typically police and prosecutors, although the SPR statement chooses not to make that explicit. The SPR elaborates, “A diagnosis of AHT is a *medical conclusion*, not a legal determination of the intent of the perpetrator or, in the false hyperbole of the courtroom and sensationalistic media, ‘a diagnosis of murder.’”¹⁰⁶ Later, the SPR devotes an entire subsection to the topic under the heading, “AHT is a *medical diagnosis* not a legal finding of murder.”¹⁰⁷

The SPR statement’s argument for this claim is that “[t]he medical expert in a child abuse case plays just one role—to help the judge or jury answer the *medical* question of whether an infant’s injuries were most likely caused by abuse or they could be plausibly explained by a recognized disease or by one or more of the myriad hypothetical alternative causal explanations typically proffered by the defense.”¹⁰⁸ The statement reasons:

is defined by statute. Generally, laws authorizing or requiring the formation of investigative MDT’s specify that law enforcement, child protection or family services, and prosecution participate. Even if your State does not require such membership, these three disciplines and the medical professions should be considered the core of any investigative MDT.”).

¹⁰³ *Daubert v. Merrell Dow Pharmaceuticals, Inc.*, 509 U.S. 579 (1993).

¹⁰⁴ *Frye v. United States*, 293 F. 1013 (D.C. Cir. 1923).

¹⁰⁵ Choudhary, *supra* note __, at 1049 (emphasis added).

¹⁰⁶ *Id.* (emphasis added).

¹⁰⁷ *Id.* at __ (emphasis added).

¹⁰⁸ *Id.* (emphasis in original).

It is absurd to argue that a medical diagnosis proves murder. Medical expert testimony on the etiology of the injury cannot answer the two foundational *legal* questions of *actus reus* (Latin for guilty act) or *mens rea* (Latin for guilty mind). That is because, even after the factfinder decides that the medical evidence supports a finding that an infant’s injuries were inflicted, non-medical evidence is required to determine who committed the act and to determine the level of intent (e.g., knowing, reckless or negligent).¹⁰⁹

The statement elaborates:

To cite an analogous example that disproves the argument’s premise, the toxicologist who testifies that the victim was poisoned does not diagnose murder because the court must still decide the *actus reus* (how was the poison ingested?) and the *mens rea* (was the victim’s poisoning accidental, negligent, reckless or intentional?).¹¹⁰

B. Foundational question—is the conclusion of SBS/AHT even a “diagnosis” as that term is used in medicine?

Before addressing the claim that the SBS/AHT conclusion is not in any way a legal matter, we note that the SPR’s claims present a foundational question—is the abuse determination a medical “diagnosis”? The SPR certainly claims as much, but the use of the term “diagnosis” is wrong, for these cases do not involve a medical *diagnosis* in the true sense.¹¹¹ Rather, they involve a causation inquiry that goes beyond diagnosis, and ventures into

¹⁰⁹ *Id.* (emphasis in original).

¹¹⁰ *Id.*

¹¹¹ Note that, even if AHT/SBS were truly a medical diagnosis, at least according to physicians, that would not resolve the problem with opinion evidence in court on those matters. The Rules of Evidence, and not the role-inflating claims of some physicians themselves, determine the scope of admissible expert opinion evidence. That the determination of abuse is not a true medical diagnosis merely adds at a foundational level to the problems with the expert opinion evidence being propounded by child abuse physicians in SBS/AHT cases. We take up this matter in the next section of this Article.

etiology—a matter that in most contexts, including these, exceeds the training and expertise of clinical physicians.¹¹² As generally used in medicine, diagnosis refers to the process of determining the disease or dysfunctional condition from which a patient suffers in order to determine the best course of treatment to cure or relieve the disease or condition. The disease or condition is inferred from signs, symptoms, risk factors, and the results of diagnostic tests. Signs are objective conditions or manifestations observed by the physician either directly or with the aid of sense-enhancing instruments such as a stethoscope. Symptoms are subjective reports of pain, weakness, or other conditions associated with the complaint of the patient in regard to a dysfunctional condition or disease. Risk factors (beyond those represented directly by signs or symptoms) are such things as family history of disease, exposure to disease-causing agents, etc., which are usually derived from the patient’s history as recounted by the patient (or next of kin), or derived from the patient’s previous medical records. To be appropriately considered in diagnosis, risk factors must have been established as being such by previous empirical research. Finally, diagnostic tests, which are often the result of microscopic or chemical analysis of bodily fluids or tissues or microorganism cultures derived from the body of the patient, give results correlated by previous research with certain diseases or conditions. They are usually performed by someone other than the treating physician and are often now instrumented to a greater or lesser degree.

One thing to note at the outset is that diagnosis is not directly concerned with the *cause* of a disease or condition, although some diagnoses will entail causes established by previous research, and some diagnostic tests will reveal the presence of a causal agent associated with the condition by previous research. The point is that diagnostic judgment itself does not address

¹¹² The authors of the “consensus” piece characterize AHT as a “diagnosis” 37 times, but recognize its fundamental nature as an etiology seven times in their text. Consider this, from their abstract: “A multidisciplinary team bases this diagnosis on history, physical examination, imaging and laboratory findings. Because the etiology of the injury is multifactorial (shaking, shaking and impact, impact, etc.) the current best and inclusive term is AHT.”

This is an interesting ploy, using what is essentially word magic to capture the benefits of the diagnostic function as a presumptive part of medical training and expertise, but at the same time asserting that etiological inference (or conjecture) without benefit of empirical research is a legitimate part of “diagnosis.”

causation independent of previous research on the cause of a disease or constellation of signs and symptoms.

Here we must be clear on the sense in which we are using the term “cause.” It is not uncommon to say that when a particular disease has been identified as the source of a person’s signs and symptoms, the diagnosis has identified the “cause” of those signs and symptoms. In a non-technical and extended sense this is not incorrect, but not in the sense covered by the concept of *etiology*, which deals with the question of what original conditions cause the disease itself. Malaria provides a helpful example.¹¹³ For centuries malaria was easily diagnosed in typical cases involving malarial paroxysm—shaking chills alternating with high fever and sweats over a two or three day cycle. However, the cause, in any useful sense, was unknown (the very name indicates the cause was assigned to “bad air.”) Identifying the cause of malaria in detail is a triumph of modern medical research, beginning in 1880 with Laveran’s observation of parasites in the blood of infected individuals, and continuing in the subsequent decades as the different species of Plasmodium responsible for the variations of the disease, and the role of mosquitos in spreading the infection was worked out in detail.¹¹⁴ So a physician in 1875 could *diagnose* the disease, and even treat some cases fairly well with quinine, but had no well-warranted idea of the cause of the disease itself—it’s *etiology*.

Pneumonia provides another useful example. The symptoms and signs of pneumonia can include cough, shortness of breath, fever and abnormal lung sounds. A clinician may order diagnostic tests including bloodwork, culture, X-ray or sometimes a CT exam. The diagnosis is based on all of these clinical signs and symptoms as well as diagnostic testing. But the particular *etiology* of that pneumonia need not be identified to treat the patient (and few physicians would claim to be able to “diagnose” how a particular pneumonia developed in any one patient). Regardless of *cause*, the treatment would be for the illness—typically a broad-spectrum antibiotic. And that is as far as the causation inquiry would go; the physician would not venture into “diagnosing” how or what introduced that organism into the body. Child abuse physicians, by contrast, take that one extra step—by analogy to the pneumonia

¹¹³ Many other such stories from the great age of the identification of infectious microorganisms that were the cause well-known diseases could be set out here, such as cholera, tuberculosis, etc.

¹¹⁴ See the history section of the Wikipedia article on malaria, <https://en.wikipedia.org/wiki/Malaria>.

case, they assume they know how the patient acquired the pneumonia.

The iterative process known as differential diagnosis also is not designed to address etiology. Differential diagnosis refers to the process whereby the physician ideally determines a wide range of diseases or conditions that might account for a set of signs and symptoms, rank orders them by probability (or sometimes severity), and proceeds to attempt to rule out the members of the list by further tests.¹¹⁵ In practice, whether one actually rules out of every possibility except one will depend on the remoteness of initial probabilities and the availability and expense of diagnostic tests. Often the most life-threatening or the most probable disease after convenient diagnostic testing has been done will be treated first. Only when treatment fails will that disease be eliminated and either further more rigorous or costly testing, or treatment for the next most likely disease, be undertaken. Note that differential diagnosis involves a feedback loop where initial diagnostic hypotheses are modified in light of newly-acquired information. And most importantly, skill in differential diagnosis (or diagnosis generally) does not provide one with special skill in determining causation in regard to the disease or condition finally settled on and treated successfully. The skill is in determining the disease or condition in the patient, and knowing how to treat it successfully, not in determining its cause. Determining cause (the “etiology” of a disease) is a specialty of scientific medical research, not of practical diagnosis by practicing physicians. Of course, once such etiology has been established by well-designed medical research, it may become a part of the process of diagnosis. This applies both to the testing for known pathogens as part of diagnosis (illustrated above in the pneumonia example), as well as discovering exposure to previously established risk factors.

Of course, practicing physicians may be willing to opine on the causation of conditions like various cancers that have not yet been established by research, and they may invoke their diagnostic skills in the process, but this is misplaced. Determining the etiology of a disease that has not yet been established by formal research is beyond the scope of the practitioner’s training and expertise and represents no more than a conjectural hypothesis at

¹¹⁵ See Keith A. Findley & D. Michael Risinger, *The Science and Law Underlying Post-Conviction Challenges to Shaken Baby Syndrome Convictions: A Response to Professor Imwinkelried*, 48 SETON HALL L. REV. 1209, 1220-21 (2018).

best. There is no training, formal or otherwise, in the practice of “differential etiology” in medical school.

Indeed, in civil cases, courts have recognized the important distinction between differential etiology and differential diagnosis, and that the former is a much more dubious proposition.¹¹⁶ The difference is significant.¹¹⁷ The differential diagnosis, as a rule, “does not provide an adequate basis for establishing external causation.”¹¹⁸ Rather, the differential diagnosis “focus[es] on diagnosing the disease, not on determining the etiology or cause of the disease.”¹¹⁹ “Differential etiology,” by contrast, “describe[s] the investigation and reasoning that leads to the determination of external causation, sometimes more specifically described by the witness or court as a process of identifying external causes by a process of elimination.”¹²⁰ As one civil court put it bluntly, “The differential diagnosis method has an inherent reliability; the differential etiology method does not.”¹²¹

To understand why, consider *Bowers v. Norfolk S. Corp.*¹²² The case was a tort action by a railroad employee against his employer, seeking damages for injuries he claimed he sustained from the vibrations of the train on which he worked. The court held

¹¹⁶ See, e.g., *Bowers v. Norfolk S. Corp.*, 537 F.Supp.2d 1343 (M.D. Ga. 2007), *aff’d*, 300 F. App’x 700 (11th Cir. 2008); *Hendrix v. Evenflo Co., Inc.*, 609 F.3d 1183 (11th Cir. 2010); *C.W. ex rel. Wood v. Textron, Inc.* 807 F.3d 827 (7th Cir. 2015); *Tamraz v. Lincoln Electric Company*, 620 F.3d 665, 673 (6th Cir. 2010); *Higgins v. Koch Development Corp.*, 794 F.3d 697, 705 (7th Cir. 2015); *Myers v. Illinois Central R. Co.* 629 F.3d 639, 644 (7th Cir. 2010); see also TUERKHEIMER, *supra* note __, at 75 (2014).

¹¹⁷ The discussion of this issue that follows is adapted from Keith A. Findley, *Flawed Science and the New Wave of Innocents*, in *WRONGFUL CONVICTIONS AND THE DNA REVOLUTION* 184, 190-93 (Daniel S. Medwed, ed. 2016).

¹¹⁸ TUERKHEIMER, *supra* note __, at 76. See also Anthony G. Hopp, Jeremy S. Goldkind, & David M. Cummings, *Differential Diagnosis and Daubert: Preventing the Misuse of Differential Etiology to Prove Causation in Toxic Tort Cases*, 84 DEF. COUNS. J. 1 (2017).

¹¹⁹ *Id.*

¹²⁰ *McClain v. Metabolife Intern, Inc.*, 401 F.3d 1233, 1252 (11th Cir. 2005) (citing Mary Sue Henifin, et al., *Reference Guide on Medical Testimony*, in *REFERENCE MANUAL ON SCIENTIFIC EVIDENCE* 439, 481 (Federal Judicial Center, 2d ed.2000)).

¹²¹ *Bowers v. Norfolk S. Corp.*, 537 F.Supp.2d 1343, 1361 (M.D. Ga. 2007), *aff’d*, 300 F. App’x 700 (11th Cir. 2008). See also TUERKHEIMER, *supra* note __, at 76; Findley, *supra* note __, at 191-93.

¹²² *Id.*

that the differential diagnosis could be used to determine the nature of the plaintiff's medical condition. But determining that the locomotive's vibrations were the cause-in-fact of those injuries was another matter, beyond the scope of the differential diagnosis and the physician's expertise. The court noted that, when diagnosing a patient for treatment purposes, the doctor has special incentives that provide assurances of accuracy: misdiagnosis can lead to catastrophic illness for the patient, even death, from failure to prescribe the correct treatment. And that error can in turn lead to medical malpractice liability.¹²³ When a physician opines that a train worker's physical injuries were caused specifically by the train's vibrations, or that a child's brain injuries were caused by abuse, however, she is not diagnosing the patient for treatment purposes. In the SBS/AHT case, the diagnosis is brain injury, and it is that injury that is treated. Whether an injury was inflicted or sustained accidentally has no bearing on the way a patient is treated medically.

This reality has other implications undermining the reliability of the differential etiology. The true differential diagnosis—diagnosing a patient's medical illness or condition for purposes of prescribing treatment—at least has the potential for enabling the doctor to learn from experience, and hence for improving reliability. If the doctor misdiagnoses an illness or condition, the treatment will likely fail, and the doctor will adjust the diagnosis and the treatment accordingly. But because there is no similar treatment feedback loop to differentiate between abusive and non-abusive injuries, judgments about causation (etiology) do not offer similar opportunities for learning and for ensuring experience-based reliability.

Medical professionals have recognized this challenge even in the context of true diagnosis. Eta Berner and Mark Graber, for example, have observed that, where feedback is absent or minimal, overconfidence by the physician can be a significant source of diagnostic error: “[F]eedback that is delayed or absent may not be recognized for what it is, and the perception that ‘misdiagnosis is not a big problem’ remains unchallenged. That is, in the absence of information that the diagnosis is wrong, it is assumed to be correct”¹²⁴ And Gordon Schiff has explained how the absence of feedback can undermine reliability, even in the true diagnosis context:

¹²³ *Id.*

¹²⁴ Eta S. Berner & Mark L. Graber, *Overconfidence as a Cause of Diagnostic Error in Medicine*, 121 AM. J. MED. (5 Suppl.) S2 (2008).

An open-loop system (also called a ‘nonfeedback controlled’ system) is one that makes decisions based solely on preprogrammed criteria and the preexisting model of the system. This approach does not use feedback to calibrate its output or determine if the desired goal is achieved. ... [Such a system] cannot engage in learning.¹²⁵

Because opining about the etiology of a child’s brain findings provides no feedback mechanism, the entire enterprise is untethered from empirical confirmation. Without the feedback required to “engage in learning,” the expert’s opinions based on clinical judgment can amount to little more than *ipse dixit*, which the Supreme Court has recognized as problematic under the Federal Rules of Evidence.¹²⁶

As problematic as the causation determination can be in tort cases, that determination, employing a differential etiology methodology, is even more challenging in SBS/AHT cases. The reason is simple. In the typical tort case the question posed to the expert is whether a known historical fact connects causally to a known injury or outcome. But in SBS/AHT cases, the historical fact at issue—whether the accused violently shook or shook and slammed the child—is itself unproven and unknown. In the SBS/AHT context, the expert is asked to relate cause to effect when only the effect has been observed; it asks the expert to divine not only the relationship between the precipitating event and the outcome, but to divine even the existence of the alleged precipitating event itself, which has not been observed or otherwise proven.

In the *Bowers* scenario, for example, the train engineer in fact suffered the injuries of which he complained, and he was in fact exposed to the vibrations that he claimed caused those injuries. Similarly, in a toxic tort case, typically there is no dispute that the plaintiff in fact contracted cancer, or was born with birth defects, and that the plaintiff was in fact exposed to the toxins or carcinogens. The question for the expert in either scenario is whether the known exposure caused the known outcome.

¹²⁵ Gordon D. Schiff, *Minimizing Diagnostic Error: The importance of Follow-up and Feedback*, 121 AM. J. MED. S38 (2008).

¹²⁶ See *General Electric Company v. Joiner*, 522 U.S. 136, 146 (1997) (“But nothing in either *Daubert* or the Federal Rules of Evidence requires a district court to admit opinion evidence that is connected to existing data only by the *ipse dixit* of the expert.”).

Nonetheless, that is the type of causation claim that Weed observes is so difficult to make, because it “does not have [the] sort of connection back to some unique event that can be documented, verified, and directly observed.”¹²⁷

But in SBS/AHT cases, the expert’s opinion is needed precisely because the existence of the act of shaking or abusing the child is otherwise not established. The children in such cases cannot describe what happened, because they are either pre-verbal or deceased (or both). The medical expert must not only infer that shaking caused the child’s injuries, but that the shaking even occurred in the first instance. As a category of cases, therefore, SBS/AHT cases present in stark form the tensions that lie at the interface between law and science.

In other words, at least in civil cases the clinical practitioner’s musings about etiology generally concern hypotheses about causal mechanisms that, however much they have not been tested empirically, at least could in theory be tested empirically. The “abuse” conclusion entailed in AHT testimony involves conclusions about subjective mental states that are not subject to the protocols of medical research even in theory. In regard to such mental states, which are what define criminal responsibility legally, physicians and medical researchers are in no better position to make inferences from the factual circumstances surrounding a death than are ordinary human beings applying critical common sense. Such issues are reserved for the jury without opinions being offered by putative experts whose opinions are beyond the scope of their expertise, and invite inappropriate deference by jurors.¹²⁸

An instructive case dealing with what is essentially the same issue in the testimony offered by a forensic pathologist is *State v. Tyler*, 967 N.W. 2d 136 (S. Ct. Iowa, 2015), a case involving the sudden unexplained death of an infant. In that case the Medical Examiner was allowed to testify to his conclusion that the “manner of death” was homicide, even though that conclusion was not a medical opinion, was based mostly on information derived from investigators for law enforcement the evaluation of which his medical expertise did not equip him with specialized knowledge to evaluate more reliably than the jury. As there, so here.

¹²⁷ Weed, *supra* note __, at 949.

¹²⁸ Judges often refer to such opinions variously as “invading the province of the jury,” “outside the scope of the witnesses expertise and specialized knowledge,” “not beyond the ken of the average juror,” “not helpful to the jury,” and other such phrases.

Because of the nature of the conclusions offered by physicians in court under the label Abusive Head Trauma do not involve diagnosis, and are in part conclusions about subjective mental states beyond the scope of medical etiology, we have generally referred to them in this paper simply as “AHT conclusions or determinations,” except where direct quotation or context necessitates the use of the term “diagnosis.”

C. The legal essence of the “diagnosis”

By invoking “diagnosis” the “consensus” document is using what is essentially word magic to capture the benefits of the diagnostic function as a presumptive part of medical training and expertise, but at the same time asserting that etiological inference (or conjecture) without benefit of empirical research is a legitimate part of “diagnosis.” But putting aside whether the definition of “diagnosis” can be stretched in some extended sense to cover AHT conclusions, it remains the case that most of the core AHT conclusions constitute legal characterizations and not objective scientific facts. Despite the SPR’s claims that the SBS/AHT conclusion says nothing about legal matters like *actus reus* and *mens rea* or identity of the purported abuser, the very term “abusive head trauma,” or its alternative formulations in the medical literature, such as “non-accidental head injury” (NAHI), “inflicted traumatic brain injury” (ITBI), and the like, do precisely what the SPR says they do not do. To opine that the abuse was “inflicted”—whether by violent shaking or impacting the child’s head, or both, which are the inferred mechanisms of injury in AHT—adds *nothing but* the legal requirements of *actus reus*, *mens rea*, and even (albeit somewhat less directly) identity.

First, to label the etiology as “inflicted” or “abusive” or “non-accidental” serves precisely to opine as to the *actus reus*, the guilty act. The medical opinion purports tell us precisely that which the law requires—what action did the accused take? While the medical hypothesis no longer claims to be able to specify whether the mechanism of injury was shaking or impact or both (hence the shift in the nomenclature from SBS to the more-inclusive AHT), it tells us all that the law requires to satisfy the *actus reus* requirement—that someone applied violent force to harm the child.

Second, the term “abusive head trauma” or any of its formulations also by their very nature satisfy the *mens rea* element of the crime of child abuse (or its variants). Child abuse statutes set the requisite mental state for criminal conduct at various levels, from intentional to reckless to negligent or knowing. Purely

blameless accidental conduct is never criminal. The SPR statement contends that when a physician opines that “an infant’s injuries were inflicted,” he or she is not offering evidence about or diagnosing the mental state needed to establish a crime.¹²⁹ But then what exactly are the conclusions that the injuries were “inflicted” and were “abusive” doing? Their only purpose, in addition to establishing the *actus reus*, is to prove the mental state of the alleged abuser; they serve no other purpose, medical or otherwise. These are quintessentially legal questions, not medical questions;¹³⁰ they have no medical implications at all, since there is no difference in treatment for the brain injuries a child suffers depending on whether any trauma the child suffered was applied intentionally (inflicted) or accidentally. But this does answer the *mens rea* question: if the injury is inflicted or the result of abuse, then the caregiver acted not accidentally, but with a guilty mind. And the only consequences of this determination are solely legal: if the injury is inflicted, the child might be removed from the parents, or the caregivers might be prosecuted criminally.

Elsewhere, the child abuse literature written by strong proponents of the SBS/AHT hypothesis confirms that doctors, including child abuse pediatricians, realize how the “diagnosis” resolves *legal* questions. Indeed, previously the SPR’s own ad hoc Committee on Child Abuse, in 2005, acknowledged in writing that “[t]he testimony of pediatric radiologists can be crucial to the differentiation of child abuse from accidental fractures, metabolic diseases, and other bone disorders. In cases where child abuse is

¹²⁹ *Id.*

¹³⁰ In this regard, the observations of a team of medical and scientific experts appointed by the Swedish government to investigate the scientific foundations for the SBS hypothesis are apt:

The term [SBS], however, is problematic as it includes *both* the medical findings and the alleged, but scientifically unproven, injurious mechanism—and even the intent behind this mechanism.

Hence, we ought to differ between *the injurious mechanism* (traumatic shaking) and *the medical findings* (the symptoms and signs, “the triad”). Intent is not, for obvious reasons, for the medical community to decide.

Niels Lynøe, Niklas Juth, & Anders Eriksson, *From Child Protection to Paradigm Protection—The Genesis, Development, and Defense of a Scientific Paradigm*, J. MED. & PHILOSOPHY 1, 2 (2018) (emphasis in original).

suspected, a physician's opinion will often be determinative."¹³¹ Likewise, child abuse pediatrician John Leventhal at Yale notes that, when evaluating a child for suspected abuse, the physician must consider what he calls "[t]wo important questions": "First, are the child's findings due to trauma or a medical problem (or a combination of the two)? *Second, if trauma, are the injuries due to abuse as opposed to neglect, an unintentional (or accidental) cause or birth trauma?*"¹³²

Finally, it is misleading, at best, to suggest that the medical opinion does not address identity; in the typical case, the medical opinion provides all the prosecutor needs to prove identity of the perpetrator. As the SPR statement itself asserts, most prosecution experts reject the notion that a child so injured would have any extended period of lucidity after injury.¹³³ Hence, the medical

¹³¹ Kenneth L. Mendelson, on behalf of the SPR Ad Hoc Committee on Child Abuse and the European Society for Paediatric Radiology (ESPR) Board of Directors, *Critical review of "temporary brittle bone disease,"* 35 PEDIATR. RADIOL. 1036, 1036 (2005).

¹³² John M. Leventhal, Andrea G. Asnes, Lisa Pavlovic, & Rebecca L. Moles, *Diagnosing abusive head trauma: the challenges faced by clinicians,* 44 PEDIATR. RADIOL. S537-S542, S537 (2014) (emphasis added).

¹³³ Choudhary et al., *supra* note __, at 1052 ("There is no evidence that children with fatal head trauma have prolonged asymptomatic lucid intervals prior to neurologic collapse."). This assertion, however, is misleading at best, and flat-out wrong at worst. There is in fact considerable evidence in the literature that children with fatal brain injuries can have prolonged periods of lucidity prior to collapse, ranging from minutes to hours or even days. *See* M. G. F. Gilliland, *Interval Duration Between Injury and Severe Symptoms in Nonaccidental Head Trauma in Infants and Young Children,* 43 J. FORENS. SCI. 723 (1998) (reporting extensive lucid intervals in some cases, including some of more than 72 hours); Robert W. Huntington, III, *Letter to the Editor: Symptoms Following Head Injury,* 23 AM. J. FORENSIC MED. PATHOL. 105 (2002) (reporting on a case in which an apparently abused 13-month-old child was admitted to the hospital and was under professional medical care and supervision for 16-18 hours before she collapsed and died, at which time physicians for the first time discovered severe intracranial injury, with subdural hemorrhage, retinal hemorrhage, and cerebral edema); Scott Denton & Darinka Mileusnic, *Delayed Sudden Death in an Infant Following an Accidental Fall,* 24 AMER. J. FORENS. MED. PATHOL. 371 (2003) (case report of a nine-month-old child who experienced a 72-hour lucid interval). While it is true that the children in these circumstances usually are not wholly symptom-free, the symptoms can be subtle and difficult to discern in pre-verbal infants and toddlers—

opinion purports to establish that the person with the child at or very near the time of collapse or onset of major symptoms must have been the one who harmed the child.¹³⁴ In this regard, Dr. Leventhal’s writings again reveal that the “diagnosis” is ultimately a conclusion about a *legal* question. Leventhal highlights the importance of timing the child’s injuries, observing, “An understanding of the timing of the injury can help answer the question of *who hurt the child*, which, in turn, *affects whether an alleged perpetrator will be arrested and prosecuted*.”¹³⁵ Leventhal reiterates that “[i]t is useful to know who was present when the child became symptomatic, especially if the symptoms occurred rapidly and during a short period of time. This information can help determine who may have hurt the child”¹³⁶

A recent decision from an Ohio appellate court exemplifies this problem with—and the all-encompassing nature of—the “medical” “diagnosis” of SBS/AHT. In reversing the accused’s conviction as being against the manifest weight of the evidence, the court observed that the prosecution’s child abuse pediatrician, Dr. Randall Schlievert, “examined E.A. on the night of the incident, and concluded not only that E.A. had suffered shaken baby syndrome, but that appellant was the perpetrator. Upon Schlievert’s conclusion, all criminal investigation into the cause of E.A.’s injuries stopped.”¹³⁷

symptoms like clinginess, fussiness, vomiting, interrupted sleep or eating patterns, and the like. *See* Huntington, *supra* (explaining that physicians did not recognize the child’s severe intracranial injuries initially because she was “fussy and clingy, but interactive and responsive”); Gilliland, *supra*, at 724 (noting that during the periods of lucidity the children were described as “not normal”). Children are not always immediately comatose or unresponsive, as child abuse pediatricians have typically claimed in the past.

¹³⁴ For discussion of the use of the no-lucid-intervals claim to prove identity, see Deborah Tuerkheimer, *The Next Innocence Project: Shaken Baby Syndrome and the Criminal Courts*, 87 WASH. UNIV. L. REV. 1, 5, 18 (2011) (noting “[u]nequivocal testimony regarding timing—i.e., that symptoms necessarily would appear instantaneously upon the infliction of injury—proves the perpetrator’s identity”); Findley, et al., *supra* note __, at 225-26 (noting testimony claiming “there could be no period of relative normality (‘lucid interval’) following the injury. It was therefore widely accepted that the last person with the baby must have been responsible.” (footnote omitted)).

¹³⁵ Leventhal, *supra* note __, at S537 (emphasis added).

¹³⁶ *Id.* at S538.

¹³⁷ State v. Thoss, 2018 WL 4850097, 2018 Ohio 4051.

Insight on this is further gleaned from the writings of Dr. Norman Guthkelch, one of the physicians credited with originating the SBS hypothesis in a paper written in 1971, although he did not call it that at the time.¹³⁸ More than 40 years later, reflecting on what had happened to his hypothesis in the intervening years, Dr. Guthkelch lamented that the claim to “diagnose” SBS and AHT reflects overreaching by the medical community:

Since subdural and retinal hemorrhages (with or without cerebral edema) may also be observed in accidental or natural settings, I suggest that the elements of the classic triad of retinal hemorrhage, subdural hemorrhage and cerebral edema would be better defined in terms of their *medical features*. Since subdural hemorrhages in infancy originate in the dura, perhaps “retino-dural hemorrhage of infancy” would be an acceptable name for the primary findings. Other *medical findings*, e.g., cerebral edema, can be added to the title as appropriate. *This would allow us to investigate causation without appearing to assume that we already know the answer.*¹³⁹

Dr. Guthkelch further observed: “Tuerkheimer has pointed out the danger of assuming criminal intent simply because the classic triad of retino-dural hemorrhage and encephalopathy is present and no one can think of any other explanation.”¹⁴⁰ Accordingly, Dr. Guthkelch concluded, “Any medical expert who answers in the negative questions such as ‘Given the injuries that you have described in this case, doctor, have you any doubt that they were inflicted with intent to kill, or at least in total disregard of that possibility?’ is exceeding his or her authority.”¹⁴¹

If any question remains about the legal nature of the purported diagnosis, one need only look to the actual courtroom testimony of medical experts who testify on behalf of the

¹³⁸ A. N. Guthkelch, *Infantile Subdural Haematoma and Its Relationship to Whiplash Injuries*, 2 BRITISH MED. J. 430 (1971).

¹³⁹ A. N. Guthkelch, *Problems of Infant Retino-Dural Hemorrhage with Minimal External Injury*, 12 HOUS. J. HEALTH L. & POLICY 201, 202 (2012) (emphasis added).

¹⁴⁰ *Id.* at 203 (citing Deborah Tuerkheimer, *Science-Dependent Prosecution and the Problem of Epistemic Contingency: A Study of Shaken Baby Syndrome*, 3 ALA. L. REV. 523 (2011)).

¹⁴¹ Guthkelch, *supra* note __, at 204.

prosecution in criminal and family cases. Routinely, these witnesses testify, for example, that the forces required to cause the injuries suffered by the child at issue had to have been so massive they could not have been accidental, often likened to the forces of an automobile accident at 30 mph or more, or throwing a child from a multi-story building.¹⁴² (Indeed, a chapter by a prosecutor in a child-abuse textbook urged that physicians “can testify that the forces the child experiences [from shaking] are the equivalent of a 50-60 m.p.h. unrestrained motor vehicle accident, or a fall from 3-

¹⁴² See, e.g., Edward J. Imwinkelried, *Shaken Baby Syndrome: A Genuine Battle of the Scientific (and Non-Scientific) Experts*, 46 CRIM. L. BULL. 156 (2010) and cases cited therein (noting that “the most common analogies [used by prosecution experts] are to the amount [of force] generated by high speed automobile accidents and a fall from a several-story building. The experts analogize to these ‘real-life accident scenarios’ in order to give the trier of fact a sense of the ‘massive, violent’ force required to produce this kind of brain injury”; cited cases include *Mitchell v. State*, No. CACR 07-472, 2008 WL 316166 (Ark. Ct. App. Feb. 6, 2008) (examining pediatrician equated the force necessary to produce the triad with that of a high-speed automobile accident); *People v. Dunaway*, 88 P.3d 619, 631, 632 (Colo. 2004) (prosecution expert stated that subdural hemorrhages occur in “such things as falling from a several story building or being in a high speed motorcycle accident or a child say is on a bicycle hit by a car...when we see subdurals in accidental injury, it’s from a major trauma. It requires massive force”); *In re Matter of Child*, 880 N.Y.S. 2d 760 Fam. Ct. 2008) (prosecution expert stated that SBS findings “simulate being in a car crash at ‘around 35 to 40 miles per hour’”). See also Testimony of Dr. Gregory Hollman, *State v. Audrey Edmunds*, Circuit Court for Dane Co., Wis., Case No. 96-CF-555, Jury Trial Transcript, Nov. 21, 1996, at 78 (the forces required from shaking “would be [the equivalent of throwing a child from] right around a three story building, three to four story building”). See also Papetti et al., *supra note* — at n. 52 (collecting other cases in which physicians testified similarly).

That testimony is also consistent with claims in the published medical literature of the early 2000s. See, e.g., Mary E. Case et al., *Position Paper on Fatal Abusive Head Injuries in Infants and Young Children*, 22 AM. J. FORENSIC MED. PATHOL. 112, 120 (2001) (“fatal accidental shearing or diffuse brain injuries require such extremes of rotational force that they occur only in obvious incidents such as motor vehicle accidents ... [or from] falling from considerable heights (greater than 10 feet) or having some object penetrate the head”); Am. Acad. of Pediatrics, Comm. on Child Abuse & Neglect, *Shaken Baby Syndrome: Rotational Cranial Injuries—Technical Report*, 108 PEDIATRICS 206, 206 (2001) (position paper of the American Academy of Pediatrics proclaiming that “the act of shaking is so violent that individuals observing it would recognize it as dangerous and likely to kill the child”).

4 stories onto a hard surface.”¹⁴³) Routinely, therefore, child abuse physicians testify that anyone applying or observing those forces would have recognized that they would cause severe harm to the child.¹⁴⁴ The 1993 position paper of the American Academy of Pediatrics (AAP) even explicitly instructed pediatricians that “the act of shaking/slamming is so violent that competent individuals observing the shaking would recognize it as dangerous.”¹⁴⁵ The 2001 AAP position paper doubled down on that claim, adding that the forces would be “so violent that individuals observing it would recognize it as dangerous *and likely to kill the child*.”¹⁴⁶ The forces could not have been accidental. The hypothesis and attendant testimony explicitly address *mens rea*.¹⁴⁷

Such claims, it turns out, are entirely unscientific and indeed wrong. There simply is no scientific research establishing that the brain injuries in these cases require such extreme forces. When pushed, even prosecution experts who make such claims have to admit that there is no science underlying these claims.¹⁴⁸ One need only pause and think about it for a moment to intuit the preposterousness of a claim that a single human being can manually generate forces equivalent to a 30-60 mph unrestrained

¹⁴³ Holmgren, *supra* note __, at 307.

¹⁴⁴ *See* note __, *supra*.

¹⁴⁵ Am. Acad. of Pediatrics, Comm. on Child Abuse & Neglect, *Shaken Baby Syndrome: Inflicted Cerebral Trauma*, 92 PEDIATRICS 872, 872 (1993).

¹⁴⁶ Am. Acad. of Pediatrics, Comm. on Child Abuse & Neglect, *Shaken Baby Syndrome: Rotational Cranial Injuries—Technical Report*, 108 PEDIATRICS 206, 206 (2001) (emphasis added).

¹⁴⁷ Holmgren, *supra* note __, at 307 (child abuse prosecutor urging that such testimony helps prove “the *mens rea* requirements for the charge”).

¹⁴⁸ For example, Dr. Jeffrey Jentzen, testifying for the prosecution in a Wisconsin courtroom, testified as follows:

Q. Now, there is really no scientific basis, however, for saying that’s the amount of force it takes [e.g. the equivalent of a motor vehicle accident or multi-story fall], is there?

A. No. Other than the fact we see that type of injury and those kind of injuries.

Q. So sort of anecdotal, observational, cumulative kind of experience kind of thing?

A. Yes. Along with interview questionnaires with individuals who have been involved in those kind of events.

Transcript of Testimony of Dr. Jeffrey Jentzen in *State v. Audrey Edmunds*, Dane Co. Wis. Circuit Court Case No. 96-CF-555, Feb. 22, 2007, at 30.

automobile crash or a multistory fall. And the biomechanical research confirms what intuition tells us—both that the most violent shaking cannot generate forces anywhere close to those described by the child abuse physicians, and that serious brain injuries can in fact be caused by much less obviously fatal forces, such as those from falls of just several feet.¹⁴⁹ Regardless, the point remains that by making such (unscientific) claims, physicians are attempting to do nothing more than answer the *actus reus* and *mens rea* questions, questions that are beyond their role as physicians bringing specialized scientific knowledge to bear on issues within the scope of their special expertise.

Thus, it is far from “the false hyperbole of the courtroom and sensationalistic media”¹⁵⁰ to understand SBS/AHT as a “medical diagnosis of murder.” It is, instead, an accurate understanding of the nature and import of the opinions rendered by child abuse pediatricians who claim they can divine what external forces were applied to a child by a human actor, with what state of mind, and when (leading to identifying the perpetrator). When proffered to “diagnose” “abuse,” the medical expert’s testimony often does indeed satisfy all of the elements of the case: what happened, who did it, and with what state of mind?

Moreover, it was not even lawyers in the courtroom, or the “sensationalistic media,” that first likened SBS to a medical diagnosis of murder. It was, instead, a serious scholar and professor of law, Deborah Tuerkheimer, then at DePaul University College of Law, now at Northwestern University School of Law, herself once a child abuse prosecutor in New York, who dispassionately reviewed the medical and legal literature on the subject and first recognized that physicians were being called upon to decide legal questions in the guise of rendering medical opinions; it was she who labeled SBS a “medical diagnosis of murder.”¹⁵¹

¹⁴⁹ See, e.g., A. C. Duhaime et al., *The Shaken Baby Syndrome: A Clinical, Pathological and Biomechanical Study*, 66 J. NEUROSURG. 409 (1987); Michael T. Prange et al., *Anthropomorphic Simulations of Falls, Shakes, and Inflicted Impacts in Infants*, 99 J. NEUROSURG. 143 (2003); A. K. Ommaya et al., *Biomechanics and Neuropathology of Adult and Paediatric Head Injury*, 16 BRIT. J. NEUROSURG. 220, 226 (2002); W. Goldsmith & J. Plunkett, *A Biomechanical Analysis of the Causes of Traumatic Brain Injury in Infants and Children*, 25 AM. J. FORENSIC MED. PATHOL. 199 (2005).

¹⁵⁰ Choudhary, *supra* note __, at 1049.

¹⁵¹ See Deborah Tuerkheimer, *The Next Innocence Project: Shaken Baby Syndrome and the Criminal Courts*, 87 WASH. U. L. REV. 1, 5 (2009); Deborah Tuerkheimer, *Criminal Justice at a Crossroads: Science-*

Thus, that likening did not originate in the “sensationalistic media,” but in respected law journals¹⁵² and a book published by Oxford University Press.¹⁵³ The media has indeed reported on the rupturing controversies in this field, but that media coverage has hardly been of the tabloid variety. The most hard-hitting coverage, and hence the coverage that prosecutors and child-abuse pediatricians typically rail against, has included extensive pieces in the New York Times,¹⁵⁴ the Washington Post,¹⁵⁵ the American Bar Association Journal,¹⁵⁶ and National Public Radio and Pro Publica,¹⁵⁷ among others. We leave it to the reader to decide for herself if this is the “sensationalistic media” to which the SPR refers.

Finally, although it should be obvious to even a casual reader by now, we note that the SPR’s analogy to a physician’s diagnosis that death was caused by poisoning is inapt. In the poisoning analogy, it is true that the physician only offers *medical* evidence about the subject’s physical conditions and the chemicals found in the body that caused death. The physician says nothing about the conduct of any outside actor—she addresses neither the *actus reus* nor the *mens rea* of any third party, nor the identity of anyone as the poisoner. For it is absolutely true in that scenario

Dependent Prosecution and the Problem of Epistemic Contingency, 62 ALA. L. REV. 513 (2011).

¹⁵² *See id.*

¹⁵³ TUERKHEIMER, *supra* note __.

¹⁵⁴ Emily Bazelon, *Shaken-Baby Syndrome Faces New Questions in Court*, THE NEW YORK TIMES MAGAZINE, Feb. 2, 2011, available at <https://www.nytimes.com/2011/02/06/magazine/06baby-t.html?scp=1&sq=emily%20bazelon%20shaken&st=cse>; Clyde Haberman, *Shaken Baby Syndrome: A Diagnosis That Divides the Medical World*, THE NEW YORK TIMES, Sept. 13, 2015, at <https://www.nytimes.com/2015/09/14/us/shaken-baby-syndrome-a-diagnosis-that-divides-the-medical-world.html>.

¹⁵⁵ Debbie Cenziper, *Shaken Science: A Disputed Diagnosis Imprisons Parents*, THE WASHINGTON POST, March 20, 2015, available at <https://www.washingtonpost.com/graphics/investigations/shaken-baby-syndrome/?noredirect=on> (multi-part series).

¹⁵⁶ Mark Hansen, *Unsettling Science: Experts Are Still Debating Whether Shaken Baby Syndrome Exists*, ABA JOURNAL (Dec. 2011), available at http://www.abajournal.com/magazine/article/unsettling_science_experts_are_still_debating_whether_shaken_baby_syndrome/.

¹⁵⁷ *E.g.*, Joseph Shapiro, *Rethinking Shaken Baby Syndrome*, NPR Morning Edition, June 29, 2011, available at <https://www.npr.org/2011/06/29/137471992/rethinking-shaken-baby-syndrome>.

that the poison could have been ingested accidentally or suicidally, as well as homicidally. And even if a third party gave the victim the poison, the physician tells us nothing about the state of mind of that third person. But the “diagnosis” of SBS or AHT does much more than that—it tells us everything we need to know not only about the medical conditions that led to death, but also that some third party *inflicted* deadly trauma, and did so with such force that it could not have been accidental, and at a time when the accused had to have been present. The poisoning scenario would be analogous to SBS/AHT only if the physician purported to diagnose not just poisoning, but “inflicted” poisoning or “abusive” poisoning, by a person who was with the deceased at the time of death. The poisoning analogy lays bare the logical flaw in the SPR argument; indeed, it makes clear how the SBS/AHT “diagnosis” is different, and involves legal rather than medical conclusions.

III. Implications of the controversies and legal nature of the SBS/AHT conclusions

A. The significance of the legal nature of the SBS/AHT conclusion

The dispute about whether SBS or AHT is a medical diagnosis or a legal determination is more than just a dispute about semantics or taxonomy. It matters for purposes of determining what the courts will do with such opinions. If it is a legal determination, courts cannot just defer to the physicians. Instead, courts must decide whether it is even permissible and appropriate for physicians to offer opinions about legal determinations that go beyond their medical training and expertise.

1. The limitations of medical expertise in a legal context

The law explicitly recognizes that determining whether a caregiver “has physically abused a child is a legal determination to be made by the factfinder”—that is, the judge or jury.¹⁵⁸ The American Law Institute (ALI), in its newly adopted Restatement on Children and the Law, states, therefore, that the role of the expert witness is not to make such determinations, but is instead limited to “diagnos[ing] the child’s medical conditions, including for

¹⁵⁸ American Law Institute, *Children and the Law*, Pt. I, Ch. 3, § 3.20, at 83 (2018).

example, broken bones, bruising, internal bleeding, and swelling, as well as the medical consequences of those conditions for the child.”¹⁵⁹ The ALI defines the limits of the expert’s authority in this way:

In addition to allowing a medical expert to render opinions regarding diagnoses of the child’s bodily condition, a court may also allow a medical expert to render opinions regarding the external forces that may have caused the child’s conditions. A medical expert may testify, for example, about whether a child’s injuries are consistent with a parent’s testimony that the child was injured while playing or whether the injuries are consistent with blunt force trauma inflicted by the parent. Determinations regarding the external forces that may have caused the child’s condition exceed the scope of a diagnostic determination, however, and therefore the court must separately ascertain that the medical expert has appropriate expertise to render an opinion on such issues and that the opinion is adequately grounded in science.¹⁶⁰

Recently, a Michigan appellate court recognized this limitation in an SBS/AHT case. The court held:

Notwithstanding the propriety of a diagnosis of inflicted trauma, we conclude that in cases involving allegations of abuse, an expert goes too far when he or she diagnoses the injury as “abusive head trauma” or opines that the inflicted trauma amounted to child abuse. The ordinary understanding of the term “abuse”—as opposed to neglect or carelessness—implies a level of willfulness and moral culpability that implicates the defendant’s intent or knowledge when performing the act that caused the head trauma. An expert may not offer an opinion on the intent or criminal responsibility of the accused.¹⁶¹

¹⁵⁹ *Id.*

¹⁶⁰ *Id.* at 82-83.

¹⁶¹ *People v. McFarlane*, ___ NW2d ___, 2018 WL 3747128 (Mich. Ct. App. 2018). Despite this holding, the court in *McFarlane* also suggested

Current practice among child-abuse physicians routinely runs afoul of this limitation, as does the SPR's attempt to claim diagnosing abuse as a purely medical determination.

The error can be understood by considering other forensic disciplines that have run into trouble because analysts have testified to statistical probabilities that lack a scientific foundation, or worse, to near or even absolute certainty about the match of crime scene evidence to a suspect—often in the guise of offering conclusions “to a reasonable degree of scientific certainty.” In its 2009 report on forensic sciences, the National Academy of Sciences identified such scientifically baseless claims—claiming certainty or high statistical likelihoods when there was no basis for either—as a serious problem with forensic expertise in the courtroom.¹⁶²

As a stark example of this type of error, in 2015 the FBI, working in collaboration with the Innocence Project and the National Association of Criminal Defense Lawyers, examined the testimony of its microscopic hair examiners in 265 cases from several decades prior to 2000, finding that the analysts had testified in scientifically erroneous or unsupportable ways in 95 percent of those cases.¹⁶³ The problem? Primarily, the analysts tended to make statistical or certainty claims that had no scientific basis, such as claiming that they had examined 10,000 hairs and had never found one like the one at issue, or even giving specific astronomical odds of error, when no research supported those statistics.

Yet in child abuse cases, that is precisely the type of unscientific certainty or odds claim that physicians make routinely—and that the SPR so vehemently defends as a matter of medical diagnosis. But there simply is no basis for “diagnosing” abuse to the exclusion of all other causes of a child’s condition based on brain and eye findings, with or without other medical findings. Dr. Kent Hymel and a team of leading AHT/SBS proponents have

that physicians may opine that a child’s injuries were “inflicted.” *Id.* at *5. This part of the decision makes little sense, however, because calling an injury “inflicted” is effectively equivalent to calling it “abusive.”

¹⁶² NAS, *supra* note __, at 47, 184, 186.

¹⁶³ Spencer S. Hsu, *FBI admits flaws in hair analysis over decades*, WASH. POST (April 18, 2018), *available at* https://www.washingtonpost.com/local/crime/fbi-overstated-forensic-hair-matches-in-nearly-all-criminal-trials-for-decades/2015/04/18/39c8d8c6-e515-11e4-b510-962fcfab310_story.html?noredirect=on&utm_term=.47a948574cd9.

acknowledged that “[g]old standard definitional criteria for AHT do not exist.”¹⁶⁴ They add that, “in the absence of a gold standard, clinicians rarely confirm or exclude AHT with complete certainty and are compelled instead to adopt a probabilistic approach to the diagnosis.”¹⁶⁵ All knowledgeable child abuse physicians today agree that there is no established diagnostic standard, and that the diagnosis is made upon the basis of a variety of findings, each of which may or may not be present in any given case. In the end, they contend, it comes down to clinical judgment.¹⁶⁶ It should be apparent, however, that any exercise of clinical judgment is susceptible to error, even in contexts where there are clear and well-defined diagnostic criteria (indeed medical misdiagnosis is a serious problem in all areas of medicine¹⁶⁷). But the typical testimony offered by a child abuse physician is to assert a diagnosis

¹⁶⁴ Kent P. Hymel et al., *Derivation of a Clinical Prediction Rule for Pediatric Abusive Head Trauma*, 14 PEDIATR. CRIT. CARE MED. 210, 212 (2013).

¹⁶⁵ *Id.* at 217.

¹⁶⁶ See, e.g., Sandeep Narang, *A Daubert Analysis of Abusive Head Trauma/Shaken Baby Syndrome*, 11 HOUS. J. HEALTH L. & POL’Y 505 (2011).

¹⁶⁷ Medical experts recognize that, across all types of medical diagnoses, “[c]ases of delayed, missed and incorrect diagnoses are common, with an incidence in the range of 10%-20%,” and error is higher in clinical diagnoses and lower with respect to diagnostic tests. Graber et al., *Bringing Diagnosis into the Quality and Safety Equations*, 308 JAMA 1211 (2012); “[I]t is clear that an extensive and ever-growing literature confirms that diagnostic errors exist at nontrivial and sometimes alarming rates. These studies span every specialty and virtually every dimension of both inpatient and outpatient care.” Berner & Graber, *Overconfidence as a Cause of Diagnostic Error in Medicine*, 121 AMER. J. MED. S2 (2008).

Moreover, these errors are not just failures to recognize and diagnose diseases or conditions; the errors are often those of over-diagnosis. In another pediatric realm, for example, pediatricians misdiagnose ear infections an average of 50% of the time, and most of the errors are of over-diagnosis (Type 1 errors) and over-prescription of antibiotics. M. E. Pichichero & M. D. Poole, *Assessing Diagnostic Accuracy and Tympanocentesis Skills in the Management of Otitis Media*, 155 ARCH. PEDIATR. ADOLESC. MED. 1137 (2001); R. Rosenfeld, *Diagnostic certainty for acute otitis media*, 64 INT. J. PEDIATR. OTORHINOLARYNGOL. 89 (2002); M. E. Pichichero & M. D. Poole, *Comparison of performance by otolaryngologists, pediatricians, and general practitioners on an otoendoscopic diagnostic video examination* 69 Int. J. PEDIATR. OTORHINOLARYNGOL. 361 (2005).

“to a reasonable degree of medical certainty,” without acknowledging any likelihood of an alternative or any probability of misdiagnosis. Child-abuse physicians routinely claim that all other possibilities have been ruled out, or that nothing else but shaking or shaking with impact could have caused the child’s condition, or that a short fall *could not* have caused the injuries, or that a lucid interval was not possible, or the like. The SPR takes this all a step further, contending that such claims are non-controversial, and that defense critics who point out the uncertainties and the alternative possibilities have no place in the legal proceedings in which abuse is alleged.

Indeed, one of the nation’s most visible and outspoken SBS/AHT prosecutors, Brian Holmgren, has urged that in SBS/AHT cases the ethical expert should claim definiteness even when the medical evidence in the expert’s opinion merely makes abuse very likely.¹⁶⁸ Holmgren acknowledges, for example, that accidental short falls can sometimes—albeit rarely—produce the same constellation of signs and injuries (or death) that are used to diagnose SBS/AHT. Nonetheless, he argues that, “if the question [to the expert] is phrased ... ‘to a reasonable degree of medical certainty, *did* a short fall cause the death of *this* child’ then the correct answer should be ‘no’ given the extreme unlikelihood of such an event.”¹⁶⁹

But of course the answer should not be “no.” The answer should be, “I cannot say with certainty based upon the medical evidence available to me. Short falls can cause such medical signs and injuries (or death), but it is rare. Nothing in the medical research or my findings in this case permits me to say that this case is not one of those rare ones.” And if a caregiver or witness provides a history of a short fall, the answer should be, “Nothing in the medical research or my findings in this case permits me to say that this history is false, or that this short fall could not be the cause of this child’s condition,” or “the medical evidence in this case is consistent with the fall described by the caregiver.” As the American Medical Association has cautioned, “it is ethically important for a physician expert witness to make clear ... that probabilities not be misrepresented as definitive conclusions.”¹⁷⁰

¹⁶⁸ Brian K. Holmgren, *Ethical Issues in Forensic Testimony Involving Abusive Head Trauma*, 3 ACAD. FORENS. PATHOL. 317 (2013).

¹⁶⁹ Holmgren, *supra* note __, at 319 (emphasis in original).

¹⁷⁰ Michael S. Goldrich, American Medical Association, Report of the Council on Ethical and Judicial Affairs (CEJA Report 12 - A-04), at 3 (2004).

The SPR, like Holmgren, seeks to claim an authoritativeness and certainty that the science does not permit, at least not in a legal context.

2. Admissibility issues arising from the legal nature of the “diagnosis”

All of this means, of course, that not everything the SPR seems to claim to be within the expertise of the “diagnosing” physician is admissible under the Rules of Evidence. Whether a jurisdiction follows *Frye’s* “general acceptance” standard or *Daubert’s* “reliable science” standard, limitations, not recognized by the SPR, will apply.

First, because claims of definitiveness or specific odds-based claims are scientifically unsupportable, under *Daubert* they exceed the scope of permissible testimony. Likewise, under *Frye*, because all knowledgeable physicians recognize that “diagnosing” abuse involves clinical judgment, and is not testable by any definitive test, any claim to definitiveness of the “diagnosis” cannot be said to achieve “general acceptance” in the medical community.

Certainly physicians can identify observed medical conditions, such as subdural or subarachnoid hematomas, retinal hemorrhages, cerebral edema, fractures, or the like. And as the ALI observes, if there is a reliable basis in the research physicians may testify about whether, in the physician’s opinion, such findings are consistent with various possibilities presented, including “whether the injuries are consistent with blunt force trauma inflicted by the parent.”¹⁷¹ But the physician may not rule out innocent causes simply because they are rare, or because the mechanism of injury is not well understood. And the physician may not opine about what particular actions a third-party took to cause those injuries, or whether any trauma was inflicted knowingly or intentionally rather than accidentally. In other words, the physician may not “diagnose” abuse in the courtroom.

To be sure, to date most courts, without a lot of thought or analysis, have admitted SBS/AHT expert testimony (for both sides) without limitation (in this regard, the courts have not improved on their utter failure to regulate adequately the admissibility of almost all other unscientific and unreliable forensic evidence in criminal cases¹⁷²). But the medical research challenging many

¹⁷¹ ALI, *supra* note ___, at 83.

¹⁷² See, e.g., Margaret A. Berger, *Expert Testimony in Criminal Proceedings: Questions Daubert Does Not Answer*, 33 SETON HALL L.

aspects of the SBS/AHT hypothesis is growing, the ALI statement is new, and defense lawyers and courts are just now beginning to become sophisticated enough in this complicated area of medicine and law to understand the appropriate limitations that should apply. The opportunities for getting it right are, in short, growing.

A very recent decision from a court in Florida further illustrates one way that a more thoughtful admissibility inquiry might play out. In *State v. Kent Johnson*,¹⁷³ after an evidentiary hearing on the admissibility of the state's experts' SBS/AHT testimony, the court excluded those parts of the experts' proposed testimony that would have gone beyond medical diagnosis of the child's medical conditions and wandered into much less well-grounded medical hypotheses that intrude on legal judgments. The court ruled:

The Court finds that the term “Shaken Baby Syndrome” and related terms set forth above [including also “shaking,” “shaken baby,” “rotation acceleration,” or “acceleration-deceleration force”] to be supported by insufficient scientific data and evidence. The Court finds that after reviewing the motion, argument, and testimony from various witnesses, there is ample evidence to demonstrate that the terminology does not adequately describe the range of potential causes of head injuries. There is no established science to support “Shaken Baby Syndrome” as a valid diagnosis. Thus, Defendant's motion is granted and the Court limits the use of the phrase “Shaken Baby Syndrome” and related phrases stated in this Order from being used in the course of Defendant's trial.¹⁷⁴

REV. 1125, 1125 (2003); Peter J. Neufeld, *The (Near) Irrelevance of Daubert to Criminal Justice and Some Suggestions for Reform*, 95 AM. J. PUB. HEALTH S107 (2005); D. Michael Risinger, *Navigating Expert Reliability: Are Criminal Standards of Certainty Being Left on the Dock?*, 64 ALB. L. REV. 99, 143–49 (2000); Jennifer L. Groscup et al., *The Effects of Daubert on the Admissibility of Expert Testimony in State and Federal Criminal Cases*, 8 PSYCHOL. PUB. POL'Y & L. 339, 342 (2002); Randolph N. Jonakait, *The Meaning of Daubert and What That Means for Forensic Science*, 15 CARDOZO L. REV. 2103, 2117 (1994).

¹⁷³ *State v. Johnson*, Case No. 15-CF-018630-A, Thirteenth Judicial Circuit Court for Hillsborough Co., Fla., Div. A (Oct. 17, 2018).

¹⁷⁴ *Id.* at 1-2.

It is too early yet to know if this decision will be appealed and, if so, whether it will stand up on appeal, or whether it will be followed by other courts. But it does at least reflect growing recognition of the *legal* problems with expert testimony in this field

Regardless, even if broadly framed admissibility challenges like this prove unavailing in other cases, at the very least some aspects of the traditional SBS/AHT dogma are now so thoroughly undermined that testimonial assertions related to them should not survive *Daubert* or *Frye* challenges. Those include assertions that at one time were ubiquitous, but now have been shown to be scientifically wrong or void of any scientific foundation, including assertions such as (but not limited to):

- Short falls cannot kill or cause serious brain injury (including the triad and related findings);
- The forces required to cause such injuries would have to be so massive as to be recognizable to any observer as likely to kill or seriously harm the child, equivalent to the forces in a high-speed automobile crash or a multi-story fall;
- Nothing could cause the various medical findings relied upon to “diagnose” abuse except shaking, shaking with impact, or inflicted blunt force trauma;
- Lucid intervals between the time of injury and collapse are not possible in cases involving serious brain injury.

B. Legal implications of the controversy

That the SBS/AHT “diagnosis” is *controversial* also has legal implications. In part, the controversy adds to the admissibility questions under *Daubert* or *Frye* discussed above. To the extent that both *Daubert* and *Frye* turn at least in part on “general acceptance,” the fact that so many propositions involved in diagnosing SBS/AHT in any given case are controversial means that the controversies raise doubts about admissibility.

The controversy also has legal implications for the duties of defense counsel in representing individuals accused of child abuse. Because so many of the propositions underlying the SBS/AHT “diagnosis” in any given case are scientifically debatable, courts are increasingly recognizing that defense counsel fail to meet Sixth Amendment standards for effective assistance of counsel if they fail to obtain expert assistance from appropriate medical and/or other

scientific experts, including from those who are critical of the hypothesis.¹⁷⁵

Similarly, the disputes impose obligations on trial courts to ensure that indigent defendants have the funds necessary to hire appropriate experts to assist them in these medical-science-dependent prosecutions. In this regard, courts are also recognizing that failure to appoint the necessary defense experts in these cases violates due process under the principles enunciated in *Ake v. Oklahoma*.¹⁷⁶

Finally, the controversy has implications for courts assessing post-conviction challenges to prior SBS/AHT convictions based on claims of newly discovered evidence. As noted above, when a conviction is obtained on the basis of uncontroverted medical opinion evidence presenting SBS/AHT as settled science

¹⁷⁵ See, e.g., West Virginia Innocence Project Client Freed From Prison (Christopher Dodrill case, 2018), at <https://wvutoday.wvu.edu/stories/2018/08/16/west-virginia-innocence-project-client-freed-from-prison>; *People v. Roberts*, 892 N.W.2d 353 (Mich. 2017); *Shiloh Brafford*, Oklahoma (Wagoner Co., CCA PC-14-803, CF-09-264, 2017); *Krystal Voss* (Colorado 2017), National Registry of Exonerations, at <http://www.law.umich.edu/special/exoneration/Pages/casedetail.aspx?caseid=5198>; *Commonwealth v. Millien*, 50 N.E.3d 808 (Mass. 2016); *Commonwealth v. Epps*, 53 N.E.3d 1247 (Mass. 2016); *People v. Di Mambro*, 897 N.W.2d 233 (Mich. 2016); *People v. Ackley*, 870 N.W.2d 858 (Mich. 2015); *State v. Ronald Pheils*, Slip Op., 2015 WL 5306548 (Ohio Ct. App. 2015); *State v. Sissoko*, 182 A.3d 874, 876 (Md. Ct. Spec. App. 2018) (noting that initial conviction was overturned based on ineffective assistance of counsel, and then affirming conviction after retrial); *Dobson v. State of Maryland*, No. 20-K-09-9572 (Circuit Court, Kent County, April 7, 2014); *Josh Clark*, Mississippi (2014); *Ernie Lopez*, (Texas 2012), National Public Radio, <https://www.npr.org/2012/03/05/147969316/free-but-not-cleared-ernie-lopez-comes-home>; *Armando Castillo* (Arizona 2011), <https://www.azjusticeproject.org/manifest-injustice-profiles/armando-castillo>; *People v. Baumer*, 781 N.W.2d 309 (Mich. 2010); *State v. Ware*, 679 S.E.2d 797 (Ga. 2009); *State v. Schoonmaker*, 176 P.3d 1105 (M. Mex. 2008); *State v. Hales*, 152 P.3d 321 (Utah 2007); *Ex Parte Briggs*, 187 S.W.3d 458 (Tex. Cr. App. 2005).

¹⁷⁶ *Ake v. Oklahoma*, 470 U.S. 68 (1985). For examples of cases reversing SBS/AHT convictions based on *Ake* violations, see *Isham v. State*, 161 So.3d 1076 (Miss. 2015); *Brown v. State*, 152 So.3d 1146 (Miss. 2014); *Jason R. Gallaway*, (Delaware 2015); *McDonald v. State*, 101 So.3d 914 (Fla. App. 2012).

with no alternatives, the new research raising the various challenges that create the serious controversies today can be and is increasingly being used as the basis for granting a new trial based on newly discovered evidence.¹⁷⁷ As numerous courts have now recognized, when a case is presented as based on settled science, and especially when that settled science constitutes the bulk of the prosecution's case, new evidence that the science isn't so certain requires a new trial at which a jury can fully consider the competing claims.¹⁷⁸

CONCLUSION

In its "consensus statement," the SPR tries to wave away the roiling controversy about the reliability of SBS/AHT diagnoses by declaring that there is, in fact, no genuine controversy and that, in any event, the question is purely one of medical diagnostics for which courts should defer to medical judgments. We have shown that SPR is wrong on both counts. There are very serious questions about the reliability of SBS/AHT diagnoses, and those questions cannot be papered over by bringing together a guild of true believers to publish a "consensus statement." And the SBS/AHT diagnosis is inherently a legal judgment for which the courts must continue to play a gatekeeping role.

¹⁷⁷ See cases cited in n. ___, *supra*.

¹⁷⁸ For a fuller discussion of these issues, see Findley & Risinger, *supra* note ___.

APPENDIX 1

October 27, 2017
Via Email and Regular U.S. Mail
Society for Pediatric Radiology
1891 Preston White Drive
Reston, VA 20191

Re: “Consensus Statement on Abusive Head Trauma in
Infants and Young Children”

We are longstanding SPR members who have published, lectured and consulted on shaken baby syndrome/abusive head trauma (SBS/AHT) and related subjects. On October 17 we received via email a lengthy (50 page, 211 reference) paper titled Consensus Statement on Abusive Head Trauma in Infants and Young Children whose stated purpose is to provide guidance to the courts, the media and the public. While the SPR’s Child Abuse Imaging Committee led the effort to prepare the Statement, the authors include several child abuse pediatricians and a law professor who are leading advocates of the SBS/AHT hypothesis. The email invites comments, but imposed a deadline of October 27. This was the first we had heard about any of this.

Because of the short timeframe for comment, which is limited to SPR members, our feedback is abbreviated. We provide these preliminary comments to meet the October 27 deadline, but ask for an opportunity to submit a more complete response. Should the SPR publish the Consensus Statement, we ask that the response be published with the Statement or shortly thereafter. We also recommend that comments be invited from other interested parties.

Our concern is that as presently written, the Statement is likely to be misleading to the courts and others on the nature and extent of the SBS/AHT controversy. SBS/AHT refers to the hypothesis that shaking or abuse may be reliably inferred from various internal radiological or pathological findings, none of which are specific to trauma. The Consensus Statement characterizes the literature supporting the SBS/AHT hypothesis as based on medical science and the literature questioning the reliability of the inference or suggesting alternative causes as grounded in denialism of child abuse and a desire to improve defense outcomes for abusive caretakers. This is incorrect. We are familiar with the medical, scientific and legal literature that raises concerns about the quality of evidence supporting SBS/AHT beliefs and there is no denialism of child abuse within that literature.

There is, however, considerable and growing concern about the reliability of the diagnostic criteria and an increasing interest in the differential diagnosis for the findings on which the diagnosis is based.

1. The Controversy

The Consensus Statement suggests that there is no legitimate controversy on SBS/AHT. In recent years many courts have acknowledged the existence of a legitimate controversy on this subject. The controversy also exists within the medical, scientific and legal literature. In 2016, a report from the President's Council of Advisors on Science and Technology on the scientific flaws in numerous areas of forensic science stated that SBS/AHT was a subject beyond the scope of the report, but is a matter that requires "urgent attention." In October 2016, a Swedish governmental agency published the results of a two year review of the evidence base for SBS that concluded that the traditional diagnostic criteria for SBS were unreliable and based on low or very low quality evidence, with the only support coming from two confession articles. Views that the Consensus Statement holds out as matters of general acceptance are also widely questioned in the fields of forensic pathology and biomechanics.

2. The Diagnostic Criteria

The Consensus Statement states that SBS/AHT is a "medical diagnosis" but does not mention that the diagnostic criteria have changed substantially over the past decades. Instead, the Statement seeks to inform judges, jurors, the media, and the public that the critiques of SBS/AHT proceed from the "deliberate mischaracterization" that SBS/AHT is diagnosed based on a "triad" of findings rather than a multidisciplinary medical and nonmedical investigation. However, the triad findings (subdural hemorrhage, retinal hemorrhage and cerebral edema and/or encephalopathy) have had and continue to have enormous significance in diagnosing SBS/AHT. The child abuse literature is filled with references to the triad, or merely the presence of subdural and retinal hemorrhage in the absence of a history of major trauma, as being virtually diagnostic of SBS/AHT. It is therefore critical to evaluate the diagnostic value of these elements, individually and in combination, as well as to understand the range of alternative traumatic and non-traumatic conditions that result in these findings. When one does so, major

concerns emerge.

3. The Pathological Assumptions

The SBS hypothesis stemmed from assumptions that the cerebral edema, subdural hemorrhage, and retinal hemorrhages found in children without external evidence of significant head trauma reflected traumatic diffuse axonal injury, ruptured bridging veins, and vitreoretinal hemorrhage, and that in nearly all instances repetitive violent shaking best explained these “shearing injuries.” We now know, however, that the cerebral edema typically reflects hypoxicischemic injury rather than DAI; that the scant or thin subdural hemorrhage common in these cases may reflect oozing from within the dura rather than torn bridging veins; and that retinal hemorrhages occur in a wide range of traumatic and non-traumatic conditions. There is as yet no evidence to validate vitreoretinal traction as the source of retinal findings in children. Accordingly, viewing these findings as indicative of shaking is an increasingly dubious hypothesis. Any Consensus Statement should acknowledge the overlap in findings between accidental injuries, abusive injuries and natural causes.

4. Short Falls

A common history in children presenting with subdural hemorrhage, retinal hemorrhage, and/or seizures or other neurologic defect is that the children sustained a short fall or similar accidental trauma. For years the prevailing guidance in the child abuse literature was that this history was necessarily false. The current evidence, which includes at least two videotaped and many witnessed short falls, now provides indisputable evidence that short falls in young children may cause all of these findings and, occasionally, death. Several court decisions have recognized the evolving understandings in this area. The prevailing view in forensic pathology is that a history of a short fall in the presence of an isolated impact injury cannot be rejected as a potential explanation for subdural hemorrhage, retinal hemorrhage, brain injury or even death.

5. The Quality of the SBS/AHT Evidence Base

The reliability of SBS/AHT diagnoses depends on the quality of the evidence that has historically reported strong associations between the triad findings and SBS/AHT. It is now recognized that the SBS/AHT literature is based largely on studies that used circular and self-fulfilling methodology—e.g., subdural and retinal hemorrhages were used as primary diagnostic and classification

criteria for SBS/AHT in studies that then reported an extremely high rate of such hemorrhages in SBS/AHT. This circular reasoning has been noted in meta-analyses, and a leading 2011 child abuse textbook further concluded that confessions were the evidence base for SBS. The recent Swedish Report similarly found that nearly the entire SBS evidence base is circular and unreliable. The two papers it classified as moderate quality were confession papers. The Consensus Statement ignores these evidentiary concerns and dismisses the Swedish Report in a few sentences, citing comments accusing its authors of unethical bias and of unreasonableness in refusing to accept the findings of child protection teams as sufficiently reliable for study classification purposes. The Statement does not refer to an additional paper published by the authors of the Swedish Report titled *Is Accepting Circular Reasoning in Shaken Baby Studies Bad Science or Misconduct?*, in which the authors explained that using “the classification used by child protection teams as the gold standard for classifying study cases and controls entails a high risk of bias and carries a risk that false positive cases are presented as true-positive cases.” The citation of responses to the Report, including by one of the Statement’s authors, while omitting replies from the Report’s authors is inappropriate for a “Consensus Statement.”

6. Natural Causes

As faith in the diagnostic specificity of the triad has waned, attention has turned to alternative explanations for the findings previously viewed as diagnostic or even pathognomonic of shaking. Many controversies and unknowns exist concerning the diagnostic criteria for alternative diagnoses; many of them are rare, have been incompletely studied, and/or have been underdiagnosed because of mistaken beliefs that the triad findings reflected SBS/AHT. The guidance offered by the Consensus Statement on a handful of natural causes that produce similar findings is misleading. We offer immediate feedback about the Statement’s criticisms of two of these diagnoses.

Cerebral Venous Thrombosis (CVT). The Consensus Statement asserts that CVT is not associated with subdural hemorrhage and, further, that findings attributed to CVT actually reflect intracranial venous injury caused by abuse. Outside the child abuse literature there is existing and growing awareness that CVT often produces intracranial hemorrhage, that it is rarely associated with trauma, and that it may be difficult on imaging to distinguish between thrombosed veins and extra-axial

hemorrhage. While venous thrombosis may also occur in head injury, there is a general understanding that CVT has been under-diagnosed in the pediatric population and reason to believe that it has been misdiagnosed as SBS/AHT in the courtroom.

BESS. Benign enlargement (or expansion) of the subarachnoid spaces (“BESS”) is a diagnosis known by several names. The Consensus Statement advises that BESS was “initially thought to predispose to SDH with minimal trauma,” but that recent reviews reveal that less than 6% of such patients develop subdural collections. The Statement urges caution about studies indicating a higher prevalence because they may have lacked adequate assessment for abuse. This guidance is not, however, a consensus position. A 2011 review summarized: “Several studies have shown an increased risk of subdural hematomas in children with external hydrocephalus after minimal or no known head trauma.” The recent studies the Statement claims are more reliable should be examined to ensure that this is not a function of selection bias or circularity—e.g., the exclusion of cases diagnosed as SBS/AHT on the basis of the child having subdural or retinal hemorrhage, seizures, or a history of minor trauma.

As a matter of scientific vigor, continuing review of the strength of the evidence base for the SBS/AHT diagnosis is mandatory. In less than two decades we have seen a shift from dogmatic medical claims that the triad is diagnostic or even pathognomonic of shaking to the claim set forth in the proposed Consensus Statement that the triad is a “legal argument and not a medically valid term.” As the discussion continues, we must remember that these are not abstract concepts but rather are diagnoses that are used to remove children from their homes and to imprison their parents and caretakers. In this context, attempting to demean or mischaracterize countering viewpoints reflects advocacy, not science. Should the SPR still intend to issue the Consensus Statement, we ask for the opportunity to publish a fuller response. We believe such a response can be completed within 30 days.

Sincerely,
Patrick D. Barnes, M.D.
Julie A. Mack, M.D.